



INVITATION TO BID NO: 10-X-2216943

STATE OF ALABAMA
DEPARTMENT OF FINANCE
DIVISION OF PURCHASING

REQ. AGENCY : 005045
ALABAMA CORRECTIONAL INDUSTRIES
AGENCY REQ. NO. :
T-NUMBER : TA034
DATE ISSUED : 03/10/10
VENDOR NO. :
VENDOR PHONE NO. :
SNAP REQ. NO. : 1436863
BUYER NAME : JANNA WICKHAM

INVITATION TO BID

FOR: UPHOLSTERY FABRIC - ACI

BUYER PHONE NO. : (334) 242-4288-
PURCHASING PHONE NO: (334) 242-7250

BID MUST BE RECEIVED BEFORE:
DATE: 04/08/10 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED:
DATE: 04/09/10 TIME: 10:00 AM

TO BE COMPLETED BY VENDOR

INFORMATION IN THIS SECTION SHOULD BE PROVIDED, AS APPROPRIATE. BID RESPONSE MUST BE IN INK OR TYPED WITH ORIGINAL SIGNATURE AND NOTARIZATION.

1. DELIVERY: CAN BE MADE _____ DAYS OR _____ WEEKS AFTER RECEIPT OF ORDER
2. TERMS: _____ (DISCOUNTS ARE TAKEN WITHOUT REGARD TO DATE OF PAYMENT.)
3. PRICE VALID FOR ACCEPTANCE WITHIN _____ DAYS.
4. VENDOR QUOTATION REFERENCE NUMBER, IF ANY: _____
(THIS NUMBER WILL APPEAR ON THE PURCHASE ORDER.)
5. E-MAIL ADDRESS: _____
INTERNET WEBSITE: _____
6. GENERAL CONTRACTOR'S LICENSE NO: _____
TYPE OF G.C. LICENSE: _____

***** IMPORTANT NOTE: *****

BIDDERS MUST COMPLY WITH ALL "BID RESPONSE INSTRUCTIONS" ON PAGE 2, TO INCLUDE ITEM 7 - COPY REQUIREMENT.

RETURN INVITATION TO BID:

US MAIL

COURIER

STATE OF ALABAMA
DEPARTMENT OF FINANCE
DIVISION OF PURCHASING
P O BOX 302620
MONTGOMERY, AL 36130-2620

STATE OF ALABAMA
DIVISION OF PURCHASING
RSA UNION BUILDING
100 N. UNION ST., SUITE 192
MONTGOMERY, AL 36104

SIGNATURE AND NOTARIZATION REQUIRED

I HAVE READ THE ENTIRE BID AND AGREE TO FURNISH EACH ITEM OFFERED AT THE PRICE QUOTED. I HERBY AFFIRM I HAVE NOT BEEN IN ANY AGREEMENT OR COLLUSION AMONG BIDDERS IN RESTRAINT OF FREEDOM OF COMPETITION BY AGREEMENT TO BID AT A FIXED PRICE OR TO REFRAIN FROM BIDDING.

SWORN TO AND

FEIN OR SSN

AUTHORIZED SIGNATURE (INK)

SUBSCRIBED BEFORE ME THIS

COMPANY NAME

TYPE/PRINT AUTHORIZED NAME

DAY OF

MAIL ADDRESS

TITLE

NOTARY PUBLIC

CITY, STATE, ZIP

TOLL FREE NUMBER

TERM EXP:

PHONE INCLUDING AREA CODE

FAX NUMBER

STANDARD TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2216943 PAGE 2
OPEN DATE : 04/09/10 TIME: 10:00 AM
T-NUMBER : TA034
RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

AUTHORITY:

THE DEPARTMENT OF FINANCE CODE OF ADMINISTRATIVE PROCEDURE, CHAPTER 355-4-1 EFFECTIVE DECEMBER 20, 2001 IS INCORPORATED BY REFERENCE AND MADE A PART OF THIS DOCUMENT. TO RECEIVE A COPY CALL (334)242-7250, OR OUR WEBSITE WWW.PURCHASING.ALABAMA.GOV .

INFORMATION AND ASSISTANCE TO MINORITY AND WOMEN-OWNED BUSINESSES IN ACQUIRING M/WBE CERTIFICATION MAY BE OBTAINED FROM THE OFFICE OF MINORITY BUSINESS ENTERPRISE, 1-800-447-4191.

BID (ITB) RESPONSE INSTRUCTIONS REV: 01/14/10

1. TO SUBMIT A RESPONSIVE BID, READ THESE INSTRUCTIONS, ALL TERMS, CONDITIONS AND SPECIFICATIONS.
2. BID ENVELOPES/PACKAGES/BOXES MUST BE IDENTIFIED ON FRONT, PREFERABLY LOWER LEFT CORNER AND BE VISIBLE WITH THE BID NUMBER AND OPENING DATE. EACH INDIVIDUAL BID (IDENTIFIED BY A UNIQUE BID NUMBER) MUST BE SUBMITTED IN A SEPARATE ENVELOPE. RESPONSES TO MULTIPLE BID NUMBERS SUBMITTED IN THE SAME ENVELOPE/COURIER PACKAGE, THAT ARE NOT IN SEPARATE ENVELOPES PROPERLY IDENTIFIED, WILL BE REJECTED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR LATE BIDS FOR ANY REASON INCLUDING THOSE DUE TO POSTAL, OR COURIER SERVICE. BID RESPONSES MUST BE IN THE DIVISION OF PURCHASING OFFICE PRIOR TO THE "RECEIVE DATE AND TIME" INDICATED ON THE BID.
3. BID RESPONSES (PAGE 1, PRICE SHEET AND ADDENDUMS (WHEN SIGNATURE IS REQUIRED)) MUST BE IN INK OR TYPED ON THIS DOCUMENT. OR EXACT FORMAT WITH SIGNATURES BEING HANDWRITTEN ORIGINALS IN INK (PERSON SIGNING BID, NOTARY, AND NOTARY EXPIRATION), OR THE BID WILL BE REJECTED. UNLESS INDICATED IN THE BID, ALL PRICE PAGES MUST BE COMPLETED AND RETURNED. IF AN ITEM IS NOT BEING BID, IDENTIFY IT AS NB (NO-BID). PAGES SHOULD BE SECURED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR MISSING PAGES. FAXED BID RESPONSES WILL NOT BE ACCEPTED.
4. THE UNIT PRICE ALWAYS GOVERNS REGARDLESS OF THE EXTENDED AMOUNT. A UNIT PRICE CHANGE ON A LINE MUST BE INITIALED BY THE PERSON SIGNING THE BID, OR THAT LINE WILL BE REJECTED. THIS INCLUDES A CROSS-OUT, STRIKE-OVER, INK-OVER, WHITE-OUT, ERASURE, OR ANY OTHER METHOD CHANGING THE PRICE.
5. A "NO BID" MUST BE RETURNED TO REMAIN ON A CLASS/SUBCLASS. RETURN PAGE 1 OR NOTIFICATION PAGE MARKED "NO-BID". IDENTIFY IT ON THE ENVELOPE AS A "NO-BID". FAILING TO RESPOND TO 3 ITB'S WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. RESPONDING WITH 6 "NO-BIDS" WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. A "NO-BID" RECEIVED LATE IS CONSIDERED A NO RESPONSE.
6. THE DIVISION OF PURCHASING IS NOT RESPONSIBLE FOR MISINTERPRETATION OF DATA FAXED FROM THIS OFFICE.
7. THE DIVISION OF PURCHASING REQUIRES AN ORIGINAL AND A MINIMUM OF ONE COMPLETE EXACT COPY (TO INCLUDE SIGNATURE AND NOTARY) OF THE INVITATION-TO-BID RESPONSE. THE ORIGINAL AND THE COPY SHOULD BE SUBMITTED TOGETHER AS A BID PACKAGE. FAILURE TO MARK RESPONSES AS "ORIGINAL" AND/OR "COPY" COULD RESULT IN THE ENTIRE BID RESPONSE BEING REJECTED.
8. AN IMPROPERLY SUBMITTED BID, LATE BID, OR BID THAT IS CANCELLED ON OR BEFORE THE OPENING DATE WILL BE HELD FOR 90 DAYS AND THEN DESTROYED. THE BID MUST BE RETRIEVED DURING REGULAR WORK HOURS, MONDAY - FRIDAY, EXCEPT STATE HOLIDAYS. AFTER THE BID IS DESTROYED, THE DIVISION OF PURCHASING ASSUMES NO RESPONSIBILITY FOR THE DOCUMENT.

DISQUALIFIED/CANCELLED BID

BIDS THAT ARE IMPROPERLY SUBMITTED OR RECEIVED LATE WILL BE A RESPONSE FOR RECORD, BUT WILL NOT BE RETURNED OR A NOTIFICATION MAILED.

THE FOLLOWING IS A PARTIAL LIST WHEREBY A BID RESPONSE WILL BE DISQUALIFIED:

- BID NUMBER NOT ON FACE OF ENVELOPE/COURIER PACKAGE/BOX
- RESPONSES TO MULTIPLE BID NUMBERS IN SAME ENVELOPE NOT PROPERLY IDENTIFIED
- BID RECEIVED LATE
- BID NOT SIGNED/NOT ORIGINAL SIGNATURE
- BID NOT NOTARIZED/NOT ORIGINAL SIGNATURE OF NOTARY AND/OR NO NOTARY EXPIRATION
- NOTARIZED OWN SIGNATURE
- REQUIRED INFORMATION NOT SUBMITTED WITH BID
- FAILURE TO SUBMIT THE ORIGINAL BID AND A COMPLETE EXACT COPY

CERTIFICATION PURSUANT TO ACT NO. 2006-557

ALABAMA LAW (SECTION 41-4-116, CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT EXECUTED SHALL CONTAIN A CERTIFICATION THAT THE VENDOR, CONTRACTOR, AND ALL OF ITS AFFILIATES THAT MAKE SALES FOR DELIVERY INTO ALABAMA OR LEASES FOR USE IN ALABAMA ARE REGISTERED, COLLECTING, AND REMITTING ALABAMA STATE AND LOCAL SALES, USE, AND/OR LEASE TAX ON ALL TAXABLE SALES AND LEASES INTO ALABAMA. BY SUBMITTING THIS BID, THE BIDDER IS HEARBY CERTIFYING THAT THEY ARE IN FULL COMPLIANCE WITH ACT NO. 2006-557, THEY ARE NOT BARRED FROM BIDDING OR ENTERING INTO A CONTRACT PURSUANT TO 41-4-116, AND ACKNOWLEDGES THAT THE AWARDING AUTHORITY MAY DECLARE THE CONTRACT VOID IF THE CERTIFICATION IS FALSE.

SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2216943
OPEN DATE : 04/09/10 TIME: 10:00 AM
T-NUMBER : TA034
RETURN DATE: 04/08/10 TIME: 5:00 PM

PAGE 3

INVITATION TO BID

INTENT TO AWARD

EFFECTIVE MAY 1, 2008, THE STATE OF ALABAMA - DIVISION OF PURCHASING WILL ISSUE AN 'INTENT TO AWARD' BEFORE A FINAL AWARD IS MADE. THE 'INTENT TO AWARD' WILL CONTINUE FOR A PERIOD OF FIVE (5) CALENDAR DAYS, AFTER WHICH A PURCHASE ORDER WILL BE PRODUCED. UPON FINAL AWARD, ALL RIGHTS TO PROTEST ARE FORFEITED. A DETAILED EXPLANATION OF THIS PROCESS MAY BE REVIEWED IN THE ALABAMA ADMINISTRATIVE CODE - CHAPTER 355-4-1(14).

ALTERNATE BID RESPONSE

UNLESS STATED ELSEWHERE IN THIS INVITATION-TO-BID (ITB) THE STATE OF ALABAMA WILL ACCEPT AND EVALUATE ALTERNATE BID SUBMITTALS ON ANY ITB'S. ALTERNATE BID RESPONSES WILL BE EVALUATED ACCORDING TO THE REQUIREMENTS AS ALL OTHER RESPONSES TO THIS ITB.

INTERNET WEBSITE LINK'S

INTERNET AND/OR WEBSITE LINKS WILL NOT BE ACCEPTED IN BID RESPONSES AS A MEANS TO SUPPLY ANY REQUIREMENTS STATED IN THIS ITB (INVITATION-TO-BID).

PRODUCT DELIVERY, RECEIVING AND ACCEPTANCE

IN ACCORDANCE WITH THE UNIVERSAL COMMERCE CODE (CODE OF ALABAMA, TITLE 7), AFTER DELIVERY, THE STATE OF ALABAMA HAS THE RIGHT TO INSPECT ALL PRODUCTS BEFORE ACCEPTING. THE STATE WILL INSPECT PRODUCTS IN A REASONABLE TIMEFRAME. SIGNATURE ON A DELIVERY DOCUMENT DOES NOT CONSTITUTE ACCEPTANCE BY THE STATE. THE STATE WILL ACCEPT PRODUCTS ONLY AFTER SATISFACTORY INSPECTION.

SALES TAX EXEMPTION

PURSUANT TO THE CODE OF ALABAMA, 1975, TITLE 40-23-4 (A) (11), THE STATE OF ALABAMA IS EXEMPT FROM PAYING SALES TAX. AN EXEMPTION LETTER WILL BE FURNISHED UPON REQUEST.

INVOICES

INQUIRIES CONCERNING PAYMENT AFTER INVOICES HAVE BEEN SUBMITTED ARE TO BE DIRECTED TO THE RECEIVING AGENCY, NOT THE DIVISION OF PURCHASING

BID RESPONSES AND BID RESULTS

UNEVALUATED BID RESPONSES (NOT BID RESULTS) ARE AVAILABLE ON OUR WEB SITE AT WWW.PURCHASING.ALABAMA.GOV. BID RESULTS WILL BE MADE AVAILABLE FOR REVIEW IN THE DIVISION OF PURCHASING OFFICE, BUT ONLY AFTER THE BID HAS BEEN AWARDED. WE DO NOT FAX OR MAIL COPIES OF BID RESULTS. IF A VENDOR WISHES TO REVIEW BID RESULTS IN OUR OFFICE, THEY SHOULD FAX THEIR REQUEST TO REVIEW THE BID TWO DAYS IN ADVANCE TO THE "BID REVIEW CLERK" AT (334) 242-4419. BE SURE TO REFERENCE THE BID NUMBER.

FOREIGN CORPORATION - CERTIFICATE OF AUTHORITY

ALABAMA LAW PROVIDES THAT A FOREIGN CORPORATION (AN OUT-OF-STATE COMPANY/FIRM) MAY NOT TRANSACT BUSINESS IN THE STATE OF ALABAMA UNTIL IT OBTAINS A CERTIFICATE OF AUTHORITY FROM THE SECRETARY OF STATE. SECTION 10-2B-15.01, CODE OF ALABAMA 1975. TO OBTAIN FORMS FOR A CERTIFICATE OF AUTHORITY, CONTACT THE SECRETARY OF STATE, CORPORATIONS DIVISION, (334) 242-5324. THE CERTIFICATE OF AUTHORITY DOES NOT KEEP THE VENDOR FROM SUBMITTING A BID.

BID IDENTIFICATION

REFERENCE PAGE 2, ITEM 2. DUE TO THE POSTAL SERVICE PUTTING BAR CODE LABELS ON ENVELOPES, IT CONCEALS THE BID NUMBER AND DATE IF THE VENDOR HAS WRITTEN THEM OTHER THAN THE LOWER LEFT CORNER, THEREFORE THE BID WOULD BE REJECTED FOR NOT BEING PROPERLY IDENTIFIED.

SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2216943
OPEN DATE : 04/09/10 TIME: 10:00 AM
T-NUMBER : TA034
RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

PURPOSE:

TO ESTABLISH A CONTRACT FOR THE ITEMS LISTED TO BE PURCHASED BY ALABAMA CORRECTIONAL INDUSTRIES ONLY.

AWARD:

EACH ITEM MUST BE PRICED SEPARATELY; HOWEVER, AN "ALL OR NONE" AWARD MAY BE MADE TO INSURE COMPATIBILITY AND/OR MAINTENANCE INTEGRITY WHERE APPLICABLE.

DELIVERY INSTRUCTIONS:

DELIVERIES WILL BE MADE TO EITHER OF THE FOLLOWING LOCATIONS AND DELIVERY ADDRESS WILL BE INDICATED ON THE PURCHASE ORDERS.

ACI VENTRESS FURNITURE ASSEMBLY
PLANT SUPERVISOR, MARK SMITHERMAN
379 HWY 239 N
CLAYTON AL 36016
OFFICE: 334-775-7400
FAX: 334-775-9334
DELIVERY TIMES: 8:00-10:30 AM & 11:30-2:30 PM MON - FRI

ACI
ST CLAIR RESTORATION PLANT
PLANT SUPERVISOR - MILTON WORKS
1000 ST CLAIR RD
SPRINGVILLE AL 35146
PHONE: 205-467-2364
FAX: 205-467-2451
DELIVERY TIMES: 8:00 AM - 1:30 PM MON - FRI

DEFAULT:

WHEN A VENDOR DEFAULTS ON A CONTRACT/PURCHASE ORDER, THE STATE CAN PROCURE THE GOODS OR SERVICES FROM OTHER SOURCES AND HOLD THE VENDOR RESPONSIBLE FOR ANY EXCESS IN PRICE/HANDLING. THE VENDOR MAY BE BARRED FROM BIDDING FOR AN INDETERMINATE PERIOD.

DELIVERY:

VENDOR(S) MUST MAINTAIN AN INVENTORY SUFFICIENT TO FURNISH ANY OR ALL COLORS FIVE (5) DAYS AFTER RECEIPT OF ORDER (ARO) TO ANY LOCATION SPECIFIED IN THIS SOLICITATION. THE AWARDED VENDOR SHALL BE RESPONSIBLE FOR DELIVERY OF ALL ITEMS UPON RECEIPT OF ORDER(S) WITHIN FIVE (5) DAYS. IF THE VENDOR'S PRIMARY SOURCE OF SHIPPING BECOMES INCAPABLE, FOR WHATEVER REASON, THE AWARDED VENDOR SHALL PROVIDE A SECONDARY SOURCE OF SHIPPING TO FULFILL ALL GUIDELINES OF DELIVERY AND CONTRACT PERIOD. ACI SHALL NOT BE PENALIZED WITH ADDITIONAL CHARGES DUE TO THE VENDOR HAVING TO USE A SECONDARY SOURCE OF SHIPPING.

FREIGHT:

BID IS F.O.B. DESTINATION. ANY FREIGHT CHARGES MUST BE INCLUDED IN THE BID PRICES. FREIGHT MUST NOT BE SHOWN SEPARATELY ON THE ITB OR INVOICES.

CONTRACT PERIOD:

ESTABLISH A 12 MONTH CONTRACT WITH AN OPTION TO EXTEND FOR A SECOND, AND THIRD 12 MONTH PERIOD WITH THE SAME PRICING, TERMS AND CONDITIONS. THE SECOND AND THIRD 12 MONTH PERIOD, IF AGREED BY BOTH PARTIES, WOULD BEGIN THE DAY AFTER THE FIRST OR SECOND 12 MONTH PERIOD EXPIRES. ANY SUCCESSIVE EXTENSION MUST HAVE WRITTEN APPROVAL OF BOTH THE STATE AND VENDOR NO LATER THAN 30 DAYS PRIOR TO EXPIRATION OF THE PREVIOUS 12 MONTH PERIOD.

NON-APPROPRIATION OF FUNDS:

CONTINUATION OF ANY AGREEMENT BETWEEN THE STATE AND A BIDDER BEYOND A FISCAL YEAR IS CONTINGENT UPON CONTINUED LEGISLATIVE APPROPRIATION OF FUNDS FOR THE PURPOSE OF THIS BID AND ANY RESULTING AGREEMENT. NON-AVAILABILITY OF FUNDS AT ANY TIME SHALL CAUSE ANY AGREEMENT TO BECOME

SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2216943
OPEN DATE : 04/09/10 TIME: 10:00 AM
T-NUMBER : TA034
RETURN DATE: 04/08/10 TIME: 5:00 PM

PAGE 5

INVITATION TO BID

VOID AND UNENFORCEABLE AND NO LIQUIDATED DAMAGES SHALL ACCRUE TO THE STATE AS A RESULT. THE STATE WILL NOT INCUR LIABILITY BEYOND THE PAYMENT OF ACCRUED AGREEMENT PAYMENT.

PRORATION:
ANY PROVISION OF A CONTRACT RESULTING FROM THIS BID TO THE CONTRARY NOTWITHSTANDING, IN THE EVENT OF FAILURE OF THE STATE TO MAKE PAYMENT HEREUNDER AS A RESULT OF PARTIAL UNAVAILABILITY, AT THE TIME SUCH PAYMENT IS DUE, OF SUCH SUFFICIENT REVENUES OF THE STATE TO MAKE SUCH PAYMENT (PRORATION OF APPROPRIATED FUNDS FOR THE STATE HAVING BEEN DECLARED BY THE GOVERNOR PURSUANT TO SECTION 41-4-90 OF THE CODE OF ALABAMA 1975), THE CONTRACTOR SHALL HAVE THE OPTION, IN ADDITION TO THE OTHER REMEDIES OF THE CONTRACT, OF RENEGOTIATING THE CONTRACT (EXTENDING OR CHANGING PAYMENT TERMS OR AMOUNTS) OR TERMINATING THE CONTRACT.

PAYMENT:
INVOICES WILL NOT BE PAID UNTIL ALL ITEMS HAVE BEEN DELIVERED TO THE DESTINATION IN SATISFACTORY CONDITION. INVOICES MUST BE IN DUPLICATE AND ACCOMPANY EACH SHIPMENT.

BLANK LINES:
TO EVALUATE THE BID IN AN EFFICIENT MANNER, THE VENDOR SHOULD FILL-IN ALL BLANK LINES APPLICABLE TO A SPECIFIC COMMODITY DESCRIPTION.

REQUESTED INFORMATION:
ANY ADDITIONAL INFORMATION REQUESTED FROM A VENDOR MUST BE FURNISHED WITHIN FIVE (5) DAYS FROM RECEIPT OF REQUEST.

ANY SAMPLES REQUESTED BY VENDOR FOR USE IN EVALUATING THE BID MUST BE FURNISHED WITH FIVE (5) DAYS AND AT NO COST TO THE STATE. SAMPLES MUST BE IDENTIFIED WITH THE BID NUMBER AND BID LINE NUMBER. THESE SAMPLES WILL NOT BE RETURNED TO THE VENDOR.

PRICE DECREASES:
THE BUYER SHALL BE NOTIFIED IMMEDIATELY IF THERE ARE ANY PRICE DECREASES AFFECTING A STATE TERM CONTRACT. THE STATE SHALL RECEIVE THE BENEFIT OF THE DECREASE AS SOON AS POSSIBLE IN ACCORDANCE WITH THE WRITTEN NOTIFICATION FROM THE CONTRACT VENDOR.

QUANTITY:
THE EXACT QUANTITY OF EACH ITEM IS UNKNOWN. THE DIVISION OF PURCHASING DOES NOT GUARANTEE THE STATE WILL BUY ANY AMOUNT. ORDERS WILL BE PLACED BY ACI AS NEEDED AND WILL GIVE COMPLETE SHIPPING INSTRUCTIONS.

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
 ITB NO. : 10-X-2216943
 OPEN DATE : 04/09/10 TIME: 10:00 AM
 T-NUMBER : TA034
 RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
UNLESS SPECIFIED OTHERWISE BELOW: SHIP TO: R1 / STATEWIDE					
00001	COMMODITY CODE: 265-46-080745 VINYL, UPHOLSTERY 54"W, FACE: SKIN COAT .0065 MIL, BACKING: 3.0 OZ. POLY/COTTON KNIT. WEIGHT: 36 OZ./LINEAR YD. FLAMMABILITY: FEDERAL SPEC. CCC-A-680A CLASS 2 TREATMENTS (AL-B-C), BIFMA CLASS I. MFR: _____ PATTERN: _____ OMNOVA COLORGUARD	1	YD	_____	_____
00002	COMMODITY CODE: 265-46-080742 VINYL, UPHOLSTERY 54"W, 5.0 OZ. POLY/ FOAM (NON-WOVEN) BACKING. WEIGHT: 24 OZ/ LINEAR YD., FLAMMABILITY: CALIFORNIA TECH BULLETIN #117-75 SEC. E MFR: _____ PATTERN: _____ OMNOVA SOLUTIONS, SAVOY	1	YD	_____	_____
00003	COMMODITY CODE: 265-44-085993 FABRIC, UPHOLSTERY, PURETSIMPLE COLLECTION, 100% POLYESTER MINIMUM 11.5 OZ / LINEAR YARD, 54" WIDE SURFACE ABRASION: 90,000 DOUBLE RUBS REPEAT: .50"H & 1"V TENSILE STRENGTH: WARP 60 LBS, FILL 43 LBS LIGHT-FASTNESS: EXCEEDS 60 HRS, CLASS 5 FLAMMABILITY: PASSES THE FOLLOWING CAL. 117-E, UFAC, BIFMA, AND NFPA 200189 CLASS 1 CLEANING CODE: WS STAIN PROTECTOR: DUPONT TEFLON MFR: _____ PATTERN: _____ ABSECON MILLS FOUNDATION	1	YD	_____	_____
00004	COMMODITY CODE: 265-44-085994 FABRIC, UPHOLSTERY, CONTENTS 61% ACRYLIC 39% POLYESTER, WIDTH 54", WEIGHT 13.7 OZ PER LINEAR YARD. REPEAT 2.25" X V 2.5" ACRYLIC BACKING. FLAME RESISTANCE MEETS FIRECODES, CALIF. 117, SEC. E, NFPA 260-1989 UFAC CLASS/BREAKING STRENGTH EXCEEDS 50 LBS. TEAR RESISTANCE EXCEEDS 6 LBS. MFR: _____ PATTERN: _____ CONE JACQUARDS, PRIVIT ALL COLORS	1	YD	_____	_____
00005	COMMODITY CODE: 265-44-091774 FABRIC, UPHOLSTERY 100% POLYESTER; 54"	1	YD	_____	_____
PAGE TOTAL					_____

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2216943 PAGE 7
OPEN DATE : 04/09/10 TIME: 10:00 AM
T-NUMBER : TA034
RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	WIDTH; SOIL AND STAIN RESISTANT; FLAMMABILITY SPECS CA BULLETIN 117 SEC. E, UFAC CLASS 1, ASTM E84: ABRASION RATING 60, D.R.; COLORFASTNESS TO LIGHT RATING AATCC16A, CLASS 4; HOURS EXPOSED TO LIGHT 40; CROCKING DRY 5.0, WET 5.0; PILLING RESISTANCE 5.0; SEAM SLIPPAGE WARP 31.0 FILL 38.0; TENSILE STRENGTH WARP 17900 FILL 214.0; REPEAT LENGTH 3.0000 INCHES WIDTH 4.5000 INCHES CLEANING CODE: WS WATER-BASED CLEANING AGENTS OR FOAM WEIGHT PER LIN. YD. 0.68 LB; THREAD COUNT 48 PICKS, ENDS 174; DYE YARN. BRAND: _____ PATTERN: _____ MOMENTUM, TREK ALL COLORS				
00006	COMMODITY CODE: 265-44-085996 FABRIC, UPHOLSTERY, CONTENTS 58% COTTON 42% POLYESTER STANDARD WIDTH, 54" REPEAT H 6.75" X 13.5" ACRYLIC BACKING. FLAME RESISTANCE MEETS CALIF. 117, SEC. E NFPA 260-989, UFAC CLASS 1, BREAKING STRENGTH EXCEEDS 50 LBS. TEAR RESISTANCE EXCEEDS 6 LBS MINIMUM. MFR: _____ PATTERN: _____ CONE JACQUARDS LAREDO ALL COLORS	1	YD		
00007	COMMODITY CODE: 265-44-085997 FABRIC, UPHOLSTERY, CONTENTS 63% POLY- ESTER, 37% OLEFIN. WIDTH 54", WEIGHT 10:14 OZ PER LINEAR YARD. ACRYLIC BACK- ING, FLAME RESISTANCE MEETS CALIF. 117, SEC. E. BREAKING STRENGTH EXCEEDS 50 LBS. TEAR RESISTANCE EXCEEDS 6 LBS. MFR: _____ PATTERN: _____ CONE JACQUARDS ENIGMA ALL COLOR	1	YD		
00008	COMMODITY CODE: 265-46-080743 VINYL, UPHOLSTERY 54" W, 100% POLY- CARBONATE/COAGULATED POLYURETHANE, POLY/COTTON NAP SATEEN BACKING. WEIGHT 18 OZ. PER LINEAR YARD. FLAMMABILITY: CALIFORNIA BULLETIN 117-SEC. E, BIFMA CLASS 1, UFAC CLASS 1. MFR: _____ PATTERN: _____ OMNOVA, ELAN	1	YD		
00009	COMMODITY CODE: 265-44-086001 FABRIC, UPHOLSTERY, CONTENT 58% COTTON 42% POLYESTER. WEIGHT 12.4 OZ PER LINEAR YD, WIDTH 54". BREAK STRENGTH EXCEEDS 50 LBS. TEAR RESISTANCE EXCEEDS 6 LBS. FIRE RETARDANCY MEETS CALIF. 117, SEC. E.	1	YD		
PAGE TOTAL					

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
 ITB NO. : 10-X-2216943 PAGE 8
 OPEN DATE : 04/09/10 TIME: 10:00 AM
 T-NUMBER : TA034
 RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	MFR: _____ PATTERN: _____ CONE JACQUARDS, VALIANT ALL COLORS				
00010	COMMODITY CODE: 265-46-080744 VINYL, UPHOLSTERY 54" W, 100% POLY- URETHANE, POLY/COTTON BACKING. FLAMMABILITY: CALIFORNIA TECH BULLETIN 117-SEC. E, BIFMA CLASS I, UFAC CLASS I.	1	YD	_____	_____
	MFR: _____ PATTERN: _____ UNIROYAL ROYALTY MAJESTIC ALL COLORS				
00011	COMMODITY CODE: 265-44-086010 FABRIC, VERTICAL SURFACE FIBER 100% POLYOLEFIN, WEIGHT 12 OZ PER LINEAR YD. WIDTH 66", LIGHT FASTNESS 60 HRS. CLASS 5 AATCC TEST METHOD 16A, COLOR FASTNESS WET CLASS 5, DRY CLASS 5, FLAME RESISTANCE CALIF. 117, SEC. E, ASTM E84, CLASS A.	1	YD	_____	_____
	MFR: _____ PATTERN: _____ ABSECON MILLS SONATA ALL COLORS				
00012	COMMODITY CODE: 265-44-086011 FABRIC, VERTICAL SURFACE 100% POLYOLEFIN WEIGHT 12 OZ PER LINEAR YD, WIDTH 66" LIGHT FASTNESS 60 HOURS, CLASS 5, AATCC TEST METHOD 16A, COLOR FASTNESS, WET CLASS 5, DRY CLASS 5, FLAME RESISTANCE MEETS CALIF. 117, SEC. E, ASTM E84	1	YD	_____	_____
	MFR: _____ PATTERN: _____ ABSECON MILLS ARIA ALL COLORS				
00013	COMMODITY CODE: 265-44-086013 FABRIC, VERTICAL SURFACE 100% POLYESTER WEIGHT 7.7 OZ PER LINEAR YD, WIDTH 66" BREAK STRENGTH WARP 100 LBS, FILL 68 LBS TEAR RESISTANCE, WARP 22 LBS, FILL 38 LBS. FLAME RESISTANCE MEETS CALIF. 117, SEC. E, UFAC, CLASS 1, ASTM E-84 CLASS 1	1	YD	_____	_____
	MFR: _____ PATTERN: _____ GUILFORD OF ME TREK ALL COLORS				
00014	COMMODITY CODE: 265-44-086015 FABRIC, VERTICAL SURFACE CONTENTS 100% POLYESTER, WEAVE JACQUARD CONSTRUCTION ENDS. 131+2 PICKS, 54+2 YARN, 1 PLY FILAMENT & 2 PLY SPUN. WEIGHT 15 OZ PER LINEAR YD, WIDTH 66", TENSILE STRENGTH WARP 160 LBS, FILL 140 LBS, TEARING STRENGTH WARP 15 LBS FILL 15 LBS FLAMMABILITY CALIF. 117, SEC. E CS191-53	1	YD	_____	_____
	MFR: _____ PATTERN: _____				

PAGE TOTAL _____

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
 ITB NO. : 10-X-2216943
 OPEN DATE : 04/09/10 TIME: 10:00 AM
 T-NUMBER : TA034
 RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
00015	VICTOR RENAISSANCE - SYMPHONY ALL COLORS COMMODITY CODE: 265-44-086016 FABRIC, VERTICAL SURFACE, CONTENT 67% POLYESTER, 33% ACRYLIC, WEIGHT 11.8 OZ PER LINEAR YARD, WIDTH 66", FLAME RETARDANCY MEETS CALIF. 117 SEC.E, UFAC CLASS I, CS191-53 CLASS I, BREAK STRENGTH, ASTM-D-4034, WARP 1,000 LBS, FILL 71 LBS. MFR: _____ PATTERN: _____ GUILFORD OF ME GILLETTE ALL COLORS	1	YD	_____	_____
00016	COMMODITY CODE: 265-44-086017 FABRIC, VERTICAL SURFACE, CONTENT 100% POLYESTER, WEAVE, JACQUARD CONSTRUCTION ENDS: 131+/- 2, PICKS: 43+/- 2, YARN 1 PLY FILAMENT AND 2 PLY SPUN, WEIGHT 13 OZ PER LINEAR YARD, WIDTH 66", TENSILE STRENGTH WARP 160 LBS, FILL 115 LBS, TEARING STRENGTH WARP 20 LBS, FILL 20 LBS, FLAMMABILITY CALIF. 117 SEC. E CS191-53 MFR: _____ PATTERN: _____ VICTOR INNOVATEX LONGPORT	1	YD	_____	_____
00017	COMMODITY CODE: 265-44-086018 FABRIC VERTICAL SURFACE, CONTENT 100% POLYESTER, WEIGHT 7.7 OZ, LINEAR YD WIDTH 66", FLAME RETARDANCY CALIF. 117 SEC. E, UFAC CLASS I, ASTM E-84 CLASS I, BREAK STRENGTH WARP 100 LBS, FILL 68 LBS TEAR RESISTANCE WARP 22 LBS, FILL 38 LBS MFR: _____ PATTERN: _____ VALDESE WEAVERS ALDEN/AVERY ALL COLORS	1	YD	_____	_____
00018	COMMODITY CODE: 265-44-086019 FABRIC VERTICAL SURFACE, CONTENT 70% POLYOLEFIN, 30% POLYESTER, WEIGHT 10 OZ PER LINEAR YD, WIDTH 66", LIGHT FASTNESS 60 HOURS CLASS 5 AATCC TEST, COLOR FAST- NESS WET CLASS 5, DRY CLASS 5, FLAME RESISTANCE MEETS CALIF. 117, SEC. E. MFR: _____ PATTERN: _____ GUILFORD OF ME FOLIAGE ALL COLORS	1	YD	_____	_____
00019	COMMODITY CODE: 265-44-086020 FABRIC VERTICAL SURFACE, CONTENT 100% POLYESTER, WEIGHT 20 +/- OZ PER LINEAR YD, WIDTH 66", FLAME RETARDANCY, MEETS CALIF. 117, SEC. E, UFAC CLASS I, ASTM E-84 CLASS I, BREAK STRENGTH WARP 100 LBS, FILL 68 LBS	1	YD	_____	_____

PAGE TOTAL

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
 ITB NO. : 10-X-2216943 PAGE 10
 OPEN DATE : 04/09/10 TIME: 10:00 AM
 T-NUMBER : TA034
 RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	MFR: _____ PATTERN: _____ GULLIFORD OF ME BERWICK II ALL COLORS				
00020	COMMODITY CODE: 265-44-086021 FABRIC VERTICAL SURFACE, FIBER 100% POLYOLEFIN, WEIGHT 12.5 OZ PER LINEAR YD, WIDTH 66", LIGHT FASTNESS 60 HOURS CLASS 5 AATCC TEST METHOD 16A, COLOR FASTNESS WET CLASS 5, DRY CLASS 5, FLAME RESISTANCE, CALIF. 117, SEC. E, ASTM E84 CLASS A.	1	YD	_____	_____
	MFR: _____ PATTERN: _____ GULLIFORD OF ME KENYON ALL COLORS				
00021	COMMODITY CODE: 265-44-086022 FABRIC, UPHOLSTERY, CONTENT 58% COTTON, 42% POLYESTER, STANDARD WIDTH 54", WEIGHT 12.4 OZ PER LINEAR YD, ACRYLIC BACKING, FLAME RESISTANCE MEETS CALIF. 117, SEC. E, NFPA 260-1989, UFAC CLASS 1, BREAKING STRENGTH EXCEEDS 50 LBS, MINIMUM TEAR RESISTANCE EXCEEDS 6 LBS	1	YD	_____	_____
	MFR: _____ PATTERN: _____ CONE JACQUARDS GLAMOUR ALL COLORS				
00022	COMMODITY CODE: 265-44-086030 FABRIC, UPHOLSTERY, CONTENTS 53% POLYESTER / 47% POLYOLEFIN, STANDARD WIDTH 54", WEIGHT 11.7 OZ PER LINEAR YARD. ACRYLIC BACKING. FLAME RESISTANCE MEETS CALIF. 117, SEC E, CS-191-53 CLASS	1	YD	_____	_____
	MFR: _____ PATTERN: _____ ABSECON MILLS TAFFETA				
00023	COMMODITY CODE: 265-44-086031 FABRIC, UPHOLSTERY, CONTENTS 100% POLYOLEFIN, STANDARD WIDTH 54", WEIGH 9.5 OZ PER LINEAR YARD, ACRYLIC BACKING. FLAME RESISTANCE MEETS CALIF. 117, SEC E, CS 191-53 CLASS	1	YD	_____	_____
	MFR: _____ PATTERN: _____ ABSECON MILLS CHANNEL				
00024	COMMODITY CODE: 265-44-088847 FABRIC, UPHOLSTERY, CONTENTS 100% POLYOLEFIN, STANDARD WIDTH 54", WEIGH 9.0 OZ PER LINEAR YARD, ACRYLIC BACKING. FLAME RESISTANCE MEETS CALIF. 117, SEC E, CS 191-53 CLASS	1	YD	_____	_____
	MFR: _____ PATTERN: _____ ABSECON MILLS QUARTET				
00025	COMMODITY CODE: 265-44-088848 FABRIC, UPHOLSTERY, CONTENTS 50%	1	YD	_____	_____

PAGE TOTAL _____

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
 ITB NO. : 10-X-2216943 PAGE 11
 OPEN DATE : 04/09/10 TIME: 10:00 AM
 T-NUMBER : TA034
 RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	POLYESTER / 50% POLYOLEFIN, STANDARD WIDTH 54", WEIGHT 14 OZ PER LINEAR YARD, ACRYLIC BACKING. REPEAT 3-7/16" HORIZONTAL X 3-1/8" VERTICAL. FLAME RESISTANCE MEETS CALIF. 117, SEC E, CS 191-53 CLASS MFR: _____ PATTERN: _____ ABSECON MILLS DELANO				
00026	COMMODITY CODE: 265-44-088849 FABRIC, UPHOLSTERY, CONTENTS 100% POLYOLEFIN, STANDARD WIDTH 54", ACRYLIC BACKING. FLAME RESISTANCE MEETS CALIF. 117, SEC E, CS 191-53 CLASS 1. MFR: _____ PATTERN: _____ ABSECON MILLS ENSEMBLE	1	YD	_____	_____
00027	COMMODITY CODE: 265-44-088850 FABRIC, UPHOLSTERY, CONTENTS 100% POLYOLEFIN, STANDARD WIDTH 54", WEIGHT 11.5 OZ PER LINEAR YARD. ACRYLIC BACKING. REPEAT 1/4" HORIZONTAL X 1/2" VERTICAL. FLAME RESISTANCE MEETS CALIF. 117, SEC E, CS 191-53 CLASS 1. MFR: _____ PATTERN: _____ ABSECON MILLS PRIMARY	1	YD	_____	_____
00028	COMMODITY CODE: 265-44-088851 FABRIC, UPHOLSTERY, CONTENTS MARQUESA LANA, STANDARD WIDTH 54", WEIGHT 16.0 OZ PER LINEAR YARD. ACRYLIC BACKING. FLAME RESISTANCE MEETS CALIF. 117, SEC E, CS 191-53 CLASS 1. MFR: _____ PATTERN: _____ ABSECON MILLS SHERPA/SHIRE	1	YD	_____	_____
00029	COMMODITY CODE: 265-46-088852 VINYL, UPHOLSTERY, 54"W, 30 OZ, 100% VIRGIN VINYL, HIGH LOFT KNIT (100% POLYESTER) BACKING. FLAMMABILITY: CALIFORNIA BULLETIN 117 SEC E, BIFMA CLASS A, UFAC, CLASS 1. MFR: _____ PATTERN: _____ MORBERN USA HTDE	1	YD	_____	_____
00030	COMMODITY CODE: 265-46-088853 VINYL, UPHOLSTERY, 54"W, 27 OZ, 100% VIRGIN VINYL, SOFT HI-LOFT BACKING, MILDEW RESISTANT, FLAMMABILITY: CALIFORNIA BULLETIN 117 SEC E, BIFMA CLASS A, UFAC CLASS 1. MFR: _____ PATTERN: _____ SPRADLING INT'L WHISPER	1	YD	_____	_____
00031	COMMODITY CODE: 265-46-088854 VINYL, UPHOLSTERY, 54"W, 100% VIRGIN	1	YD	_____	_____
PAGE TOTAL					_____

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
 ITB NO. : 10-X-2216943 PAGE 12
 OPEN DATE : 04/09/10 TIME: 10:00 AM
 T-NUMBER : TA034
 RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	VINYL, POLY/COTTON BACKING, FLAMMABILITY: CALIFORNIA BULLETIN 117 SEC E, BIFMA CLASS A, UFAC CLASS 1. MFR: _____ PATTERN: _____ UNIROYAL ENGLISH PUB				
00032	COMMODITY CODE: 265-46-088855 VINYL, UPHOLSTERY, 54"W, 100% VIRGIN VINYL, 36 OZ, POLY/COTTON BACKING, FLAMMABILITY: CALIFORNIA BULLETIN 117 SEC E, BIFMA CLASS A, UFAC CLASS 1. MFR: _____ PATTERN: _____ SPRADLING INT'L PATRIOT PLUS	1	YD	_____	_____
00033	COMMODITY CODE: 265-44-088856 FABRIC, UPHOLSTERY, VALUE COORDINATES COLLECTION, 52% NYLON & 48% POLYESTER, MINIMUM 9 OZ PER LINEAR YARD, 54" WIDE. SURFACE ABRASION: EXCEEDS 108,000 DOUBLE RUBS REPEAT: 8"H & 5"V TENSILE STRENGTH: WARP 170 LBS, FILL 200 LBS LIGHT-FASTNESS: EXCEEDS 40 HRS FLAMMABILITY: PASSES THE FOLLOWING CAL. 117-E, UFAC, BIFMA, AND NFPA 260 CLEANING CODE: WS STAIN PROTECTOR: DUPONT TEFLON MFR: _____ PATTERN: _____ IF6 CELEBRATION ALL COLORS COLOR: _____	1	YD	_____	_____
00034	COMMODITY CODE: 265-44-088858 FABRIC, UPHOLSTERY, VALUE COORDINATES COLLECTION, 60% POLYESTER & 40% OLEFIN, MINIMUM 10.3 OZ / LINEAR YARD, 54" WIDE. SURFACE ABRASION: EXCEEDS 100,000 DOUBLE RUBS REPEAT: 7.5"H & 15"V NON-MATCHING TENSILE STRENGTH: WARP 222 LBS, FILL 225 LBS LIGHT-FASTNESS: EXCEEDS 40 HRS FLAMMABILITY: PASSES THE FOLLOWING CAL. 117-E, UFAC, BIFMA, AND NFPA 260 CLEANING CODE: WS STAIN PROTECTOR: DUPONT TEFLON MFR: _____ PATTERN: _____ IF6 CLEMATIC ALL COLORS	1	YD	_____	_____
00035	COMMODITY CODE: 265-44-088859 FABRIC, UPHOLSTERY, VALUE COORDINATES COLLECTION, 2% NYLON & 48% POLYESTER, MINIMUM 9 OZ / LINEAR YARD, 54" WIDE. SURFACE ABRASION: EXCEEDS 159,000	1	YD	_____	_____
PAGE TOTAL					_____

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
 ITB NO. : 10-X-2216943 PAGE 13
 OPEN DATE : 04/09/10 TIME: 10:00 AM
 T-NUMBER : TA034
 RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	DOUBLE RUBS REPEAT: 2"H & 2"V TENSILE STRENGTH: WARP 187 LBS, FILL 98 LBS LIGHT-FASTNESS: EXCEEDS 40 HRS FLAMMABILITY: PASSES THE FOLLOWING CAL. 117-E, UFAC, BIFMA, AND NFPA 260 CLEANING CODE: WS STAIN PROTECTOR: DUPONT TEFLON MFR: _____ PATTERN: _____ IF6 COMPANION				
00036	COMMODITY CODE: 265-44-088860 FABRIC, UPHOLSTERY, VALUE COORDINATES COLLECTION, 100% POLYESTER MINIMUM 13.75 OZ / LINEAR YARD, 54" WIDE. SURFACE ABRASION: EXCEEDS 1,000,000 DOUBLE RUBS REPEAT: NONE TENSILE STRENGTH: WARP 368 LBS, FILL 339 LBS LIGHT-FASTNESS: EXCEEDS 60 HRS FLAMMABILITY: PASSES THE FOLLOWING CAL. 117-E, UFAC, BIFMA, AND NFPA 260 CLEANING CODE: WS STAIN PROTECTOR: DUPONT TEFLON GROUP 2 - MAINSTREAM COLLECTION MFR: _____ PATTERN: _____ IF6 FOUNDATION 10 ALL COLORS	1	YD		
00037	COMMODITY CODE: 265-44-088861 FABRIC, UPHOLSTERY, MAINSTREAM COLLECTION, 100% INFINITY NYLON, MINIMUM 11.2 OZ / LINEAR YARD, 54" WIDE. SURFACE ABRASION: EXCEEDS 765,000 DOUBLE RUBS REPEAT: NONE TENSILE STRENGTH: WARP 210 LBS, FILL 160 LBS LIGHT-FASTNESS: EXCEEDS 200 HRS FLAMMABILITY: PASSES THE FOLLOWING CAL. 117-E, UFAC, BIFMA, AND NFPA 260 CLEANING CODE: WS MFR: _____ PATTERN: _____ IF6 DECADE CREPE ALL COLORS:	1	YD		
00038	COMMODITY CODE: 265-44-088862 FABRIC, UPHOLSTERY, MAINSTREAM COLLECTION, 100% FR POLYPROPYLENE, MINIMUM 11 OZ / LINEAR YARD, 54" WIDE. SURFACE ABRASION: EXCEEDS 63,000 DOUBLE RUBS REPEAT: 13.5"H & 5"V TENSILE STRENGTH: WARP 112 LBS, FILL	1	YD		
	PAGE TOTAL				

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
 ITB NO. : 10-X-2216943 PAGE 14
 OPEN DATE : 04/09/10 TIME: 10:00 AM
 T-NUMBER : TA034
 RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	161 LBS LIGHT-FASTNESS: EXCEEDS 40 HRS FLAMMABILITY: PASSES THE FOLLOWING CAL. 117-E, UFAC, BIFMA, AND NFPA 260 CLEANING CODE: W MFR: _____ PATTERN: _____ MAYER MONSOON FR (FIRE RETARDANT) COLOR: _____ COLORS: 218-001 BURGUNDY WINE SWIRL; 218-002 WINDED WHEAT; 218-003 SWAMP MOSS; 218-003 DEEP SEA; 218-006 THUNDER; 218-007 DESERT STORM; 218-008 STORMY SKY; 218-009 ORANGE CRUSH; 218-013 TROPICAL PUNCH				
00039	COMMODITY CODE: 265-44-088868 FABRIC, VERTICAL SURFACE 100% POLYESTER WEIGHT 9.1 OZ / LINEAR YARD, 66" WIDE. BREAK STRENGTH WARP 100 LB, FILL 68 LB TEAR RESISTANCE, WARP 22 LB, FILL 38 LB FAMMABILITY: MEETS CALIF. 117, SECTION E, UFAC, CLASS 1, ASTM E-84 CLASS 1 MFR: _____ PATTERN: _____ VALDESE WEAVERS RUTGERS/RANGER ALL COLORS	1	YD	_____	_____
00040	COMMODITY CODE: 265-44-088869 FABRIC, VERTICAL SURFACE 100% POLYESTER WEIGHT 9.1 OZ / LINEAR YARD, 66" WIDE. BREAK STRENGTH WARP 135 LB, FILL 35 LB TEAR RESISTANCE, WARP 26 LB, FILL 37 LB FAMMABILITY: MEETS CALIF. 117, SECTION E, UFAC, CLASS 1, ASTM E-84 CLASS 1 MFR: _____ PATTERN: _____ VALDESE WEAVERS SWANSON/SHEPERD ALL COLORS	1	YD	_____	_____
00041	COMMODITY CODE: 265-44-085993 FABRIC, UPHOLSTERY, PURETSIMPLE COLLECTION, 100% POLYESTER MINIMUM 11.5 OZ / LINEAR YARD, 54" WIDE SURFACE ABRASION: 90,000 DOUBLE RUBS REPEAT: .50"H & 1"V TENSILE STRENGTH: WARP 60 LBS, FILL 43 LBS LIGHT-FASTNESS: EXCEEDS 60 HRS, CLASS 5 FLAMMABILITY: PASSES THE FOLLOWING CAL. 117-E, UFAC, BIFMA, AND NFPA 200189 CLASS 1 CLEANING CODE: WS STAIN PROTECTOR: DUPONT TEFLON MFR: _____ PATTERN: _____ ABSECON MILLS FOUNDATION	1	YD	_____	_____
00042	COMMODITY CODE: 265-44-091776	1	YD	_____	_____
	PAGE TOTAL				_____

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -

ITB NO. : 10-X-2216943

PAGE 15

INVITATION TO BID

OPEN DATE : 04/09/10 TIME: 10:00 AM

T-NUMBER : TA034

RETURN DATE: 04/08/10 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	<p>FABRIC, UPHOLSTERY 100% POLYESTER; 54" WIDTH; ACRYLIC BACKING; SOIL AND STAIN RESISTANT; FLAMMABILITY SPECS CA BULLETIN 117 SEC. E9 UFAC CLASS 1, NFPA 260; ABRASION RATING 50,000 D.R.; COLOR-FASTNESS TO LIGHT RATING AATCC16A, CLASS 5; HOURS EXPOSED TO LIGHT 40; CROCKING, DRY 4.5, WET 4.5; PILLING RESISTANCE 5.0 SEAM SLIPPAGE 59.0, FILL 84.0, TENSILE STRENGTH WARP 286.0 FILL 330.0; REPEAT LENGTH 0.7500 INCHES WIDTH 0.7500; CLEANING CODE WS WATER-BASED CLEANING AGENTS OR FOAM; WEIGHT PER LIN. YD. 0.58 LB; THREAD COUNT PICKS 46, ENDS 164; DYE YARN.</p> <p>BRAND: _____ PATTERN: _____ MOMENTUM INTERVAL ALL COLORS</p>				
00043	<p>COMMODITY CODE: 265-44-088866 FABRIC, UPHOLSTERY, NOT LISTED ON STATE CONTRACT ALL COLORS PRICING: RATE: _____ DISCOUNT: _____ WIDTH: _____</p> <p>MFR: _____ PATTERN: _____</p> <p>VENDORS WISHING TO BID A PRODUCT/FABRIC THAT IS NOT LISTED ON THE CONTRACT SHOULD LIST BRAND AND PATTERN AND PERCENT OFF CATALOG PRICE. CATALOG SHOULD BE SUBMITTED WITH YOUR BID.</p>	1	YD	_____	_____
00044	<p>COMMODITY CODE: 265-46-088867 VINYL, UPHOLSTERY, NOT LISTED ON STATE CONTRACT ALL COLORS PRICING: RATE: _____ DISCOUNT: _____ WIDTH: _____</p> <p>MFR: _____ PATTERN: _____</p> <p>VENDORS WISHING TO BID PRODUCT/FABRIC NOT LISTED ON CONTRACT SHOULD LIST THAT PRODUCT HERE WITH THE BRAND AND PATTERN AS WELL AS THE PERCENT OFF CATALOG PRICE. CATALOG SHOULD BE SUBMITTED WITH YOUR BID.</p>	1	YD	_____	_____
00045	<p>COMMODITY CODE: 265-44-091775 FABRIC, UPHOLSTERY 100% POLYESTER; 54" WIDTH; SOIL AND STAIN RESISTANT; FLAMMABILITY SPECS CA BULLETIN 117 SEC. E, UFAC CLASS 1, ASTM E84: ABRASION RATING 102,000 D.R.; COLORFASTNESS TO LIGHT RATING AATCC16A, CLASS 4; HOURS EXPOSED TO LIGHT 40; CROCKING DRY 5.0, WET 5.0; PILLING RESISTANCE 5.0; SEAM</p>	1	YD	_____	_____
	PAGE TOTAL				_____

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2216943 PAGE 16
OPEN DATE : 04/09/10 TIME: 10:00 AM
T-NUMBER : TA034
RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	SLIPPAGE WARP 31.8 FILL 35.5; TENSILE STRENGTH WARP 237.0 FILL 284.0; REPEAT LENGTH 0.1250 INCHES WIDTH 0.6250 INCHES CLEANING CODE WS WATER-BASED CLEANING AGENTS OR FOAM. WEIGHT PER LIN. YD. 0.72 LB; THREAD COUNT PICKS 57, ENDS 174; DYE YARN. BRAND: _____ PATTERN: _____ MOMENTUM GAUGE ALL COLORS				
00046	COMMODITY CODE: 265-44-091776 FABRIC, UPHOLSTERY 100% POLYESTER; 54" WIDTH; ACRYLIC BACKING; SOIL AND STAIN RESISTANT; FLAMMABILITY SPECS CA BULLETIN 117 SEC. E9 UFAC CLASS 1, NFPA 260; ABRASION RATING 50,000 D.R.; COLOR-FASTNESS TO LIGHT RATING AATCC16A, CLASS 5; HOURS EXPOSED TO LIGHT 40; CROCKING, DRY 4.5, WET 4.5; PILLING RESISTANCE 5.0 SEAM SLIPPAGE 59.0, FILL 84.0, TENSILE STRENGTH WARP 286.0 FILL 330.0; REPEAT LENGTH 0.7500 INCHES WIDTH 0.7500; CLEANING CODE WS WATER-BASED CLEANING AGENTS OR FOAM; WEIGHT PER LIN. YD. 0.58 LB; THREAD COUNT PICKS 46, ENDS 164; DYE YARN. BRAND: _____ PATTERN: _____ MOMENTUM INTERVAL ALL COLORS	1	YD		
00047	COMMODITY CODE: 265-44-091777 FABRIC, UPHOLSTERY 53% POST INDUSTRIAL RECYCLED POLYESTER, 47% OLEFIN; WIDTH 54.00; LATEX BACKING; FINISH TEFLON; FLAMMABILITY SPECS CA BULLETIN 117 SEC. E, UFAC CLASS 1; ABRASION RATING 50,000 D.R.; COLORFASTNESS TO LIGHT RATING 60; CROCKING DRY 4.0, WET 4.0; PILLING RESISTANCE 4.0; SEAM SLIPPAGE WARP 50.0, FILL 48.0; TENSILE STRENGTH WARP 185.0, FILL 180.0; REPEAT LENGTH 6.75" WIDTH 6.75"; PATTERN DIRECTIONAL; CLEANING CODE W WATER BASED FOAM, VACUUM, BRUSHED WEIGHT PER LIN. TD. 0.64 LB; THREAD COUNT PICKS 71, ENDS 132; DYE YARN. BRAND: _____ PATTERN: _____ MOMENTUM SAVEY ALL COLORS	1	YD		
00048	COMMODITY CODE: 265-44-091781 FABRIC, UPHOLSTERY 100% POLYESTER; WIDTH 54.0 INCHES; LATEX BACKING; FINISH SOIL AND STAIN RESISTANT; FLAMMABILITY SPECS CA BULLETIN 117 SEC. E, UFAC CLASS 1, NFPA 260; ABRATION RATING 100,000 D.R.; COLORFASTNESS TO LIGHT RATING AATCC16A, CLASS 5; HOURS EXPOSED TO LIGHT 40; CROCKING DRY 4.5, WET 4.5; PILLING	1	YD		
PAGE TOTAL					

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2216943 PAGE 17
OPEN DATE : 04/09/10 TIME: 10:00 AM
T-NUMBER : TA034
RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	RESISTANCE 5.0; SEAM SLIPPAGE WARP 33.5, FILL 34.3; TENSILE STRENGTH WARP 232.0, FILL 328.0; REPEAT LENGTH 1.25 INCHES, WIDTH 1.25 INCHES; PATTERN DIRECTIONAL; CLEANING CODE WS WATER-BASED CLEANING AGENTS OR FOAM; WEIGHT PER LIN. YD. 0.70 LB; THREAD COUNT PICKS 74, ENDS 132; DYE YARD. BRAND: _____ PATTERN: _____ MOMENTUM TANGENT ALL COLORS				
00049	COMMODITY CODE: 265-44-091782 FABRIC, UPHOLSTERY 100% POLYESTER; WIDTH 54.0 INCHES; ACRYLIC BACKING; FINISH SOIL AND STAIN RESISTANT; FLAMMABILITY SPECS CA BULLETIN 117 SEC. E, UFAC CLASS 1, NFPA 260; ABRASION RATING 39,000 D.R. COLORFASTNESS TO LIGHT RATING AATCC16A, CLASS 5; HOURS EXPOSED TO LIGHT 40; CROCKING DRY 4.5, WET 4.5; PILLING RESISTANCE 5.0; SEAM SLIPPAGE WARP 39.0, FILL 144.0; REPEAT LENGTH 1.000 INCHES, WIDTH 1.000; CLEANING CODE WS WATER-BASED CLEANING AGENTS OR FOAM; WEIGHT PER LIN. YD. 0.81 LB; THREAD COUNT PICKS 50, ENDS 172; DYE YARN, BRAND: _____ PATTERN: _____ MOMENTUM PIVOTT ALL COLORS	1	YD		
00050	COMMODITY CODE: 265-44-091778 FABRIC, UPHOLSTERY 100% POLYESTER; 56.00 WIDTH; LATEX BACKING; TEFLON FINISH; FLAMMABILITY SPECS CA BULLETIN 117, SEC. E, UFAC CLASS 1, NFPA 260; ABRASION RATING 100,000 D.R.; COLORFASTNESS TO LIGHT RATING AATCC16A, CLASS 4; HOURS EXPOSED TO LIGHT 40; CROCKING DRY 4.0, WET 4.0; PILLING RESISTANCE 4.0; SEAM SLIPPAGE WARP 55.0, FILL 55.0; TENSILE STRENGTH WARP 60.0, FILL 70.0; CLEANING CODE W WATER BASED FOAM, VACUUM, BRUSH; WEIGHT PER LIN. YD. 0.79 LB; THREAD COUNT PICKS 43, ENDS 46; DYE PIECE. BRAND: _____ PATTERN: _____ MOMENTUM ACE ALL COLORS	1	YD		
00051	COMMODITY CODE: 265-44-091779 FABRIC, UPHOLSTERY 100% POLYESTER; 56.00 WIDTH; LATEX BACKING; TEFLON FINISH, FLAMMABILITY SPECS CA BULLETIN 117 SEC. E, UFAC CLASS 1, NFPA 260; ABRASION RATING 100,000 D.R.; COLORFASTNESS TO LIGHT RATING AATCC16A, CLASS 4; HOURS EXPOSED TO LIGHT 40; CROCKING DRY 4.0, WET 4.0; PILLING RESISTANCE 4.0; SEAM SLIPPAGE WARP 60.0, FILL 71.0; TENSILE	1	YD		
PAGE TOTAL					

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2216943 PAGE 18
OPEN DATE : 04/09/10 TIME: 10:00 AM
T-NUMBER : TA034
RETURN DATE: 04/08/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	STRENGTH WARP 72.00, FILL 62.0; CLEANING CODE W WATERBASED FOAM, VACUUM, BRUSH; WEIGHT PER LIN. YD. 0.79 LB; THREAD COUNT PICKS 43, ENDS 46. DYE PIECE. BRAND: _____ PATTERN: _____ MOMENTUM RATIO ALL COLORS				
00052	COMMODITY CODE: 265-44-091780 FABRIC, UPHOLSTERY 100% POLYESTER; 56.00 WIDTH; LATEX BACKING; FINISH SOIL AND STAIN RESISTANT; FLAMMABILITY SPECS CA BULLETIN 117 SEC. E, UFAC CLASS 1, NFPA 620; ABRASION RATING 405,000 D.R.; COLORFASTNESS TO LIGHT RATING AATCC16A, CLASS 4; HOURS EXPOSED TO LIGHT 40; CROCKING DRY 4.0, WET 3.0; PILLING RESISTANCE 4.0; SEAM SLIPAGE WARP 36.0, FILL 38.0; TENSILE STRENGTH WARP 366.0, FILL 335.0; REPEAT LENGTH 0.1250, WIDTH 0.1250; CLEANING CODE W WATER BASED FOAM VACUUM, BRUSH; WEIGHT PER LIN. YD. 0.77 LB; THREAD COUNT PICKS 38, ENDS 45; DYE PIECE. BRAND: _____ PATTERN: _____ MOMENTUM CINCH ALL COLORS	1	YD		

PAGE TOTAL

BID TOTAL

