INVITATION TO BID NO: 09-X-2206810

STATE OF ALABAMA

DEPTARTMENT OF FINANCE
DIVISION OF PURCHASING

INVITATION TO BID

REQ. AGENCY	: 999999 PURCHASING DIVISION
AGENCY REQ. NO.	:
T-NUMBER	: T235
DATE ISSUED	: 07/17/09
VENDOR NO.	:
VENDOR PHONE NO.	:
SNAP REQ. NO.	: 1417537
BUYER NAME	: JENNIFER LORETZ
BUYER PHONE NO.	: (334) 242-7370-
PURCHASING PHONE NO	: (334) 242-7250

FOR: FIRE FIGHTING EQUIP. & CLOTHING

BID MUST BE RECEIVED BEFORE:
DATE: 08/19/09 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED:
DATE: 08/20/09 TIME: 10:00 AM

TO BE COMPLETED BY VENDOR

INFORMATION IN THIS SECTION SHOULD BE PROVIDED, AS APPROPRIATE. BID RESPONSE MUST BE IN INK OR TYPED WITH ORIGINAL SIGNATURE AND NOTARIZATION.

1. DELIVERY: CAN BE MADE _____ DAYS OR _____ WEEKS AFTER RECEIPT OF ORDER

2. TERMS: _____(DISCOUNTS ARE TAKEN WITHOUT REGARD TO DATE OF PAYMENT.)

3. PRICE VALID FOR ACCEPTANCE WITHIN _____ DAYS.

4. VENDOR QUOTATION REFERENCE NUMBER, IF ANY: _____
(THIS NUMBER WILL APPEAR ON THE PURCHASE ORDER.)

5. E-MAIL ADDRESS: _____

INTERNET WEBSITE: _____

6. GENERAL CONTRACTOR'S LICENSE NO: _____

TYPE OF G.C. LICENSE: _____

RETURN INVITATION TO BID:

US MAIL	COURIER
STATE OF ALABAMA DEPARTMENT OF FINANCE DIVISION OF PURCHASING P O BOX 302620 MONTGOMERY, AL 36130-2620	STATE OF ALABAMA DIVISION OF PURCHASING RSA UNION BUILDING 100 N. UNION ST., SUITE 192 MONTGOMERY, AL 36104

***** IMPORTANT NOTE: *****
BIDDERS MUST COMPLY WITH ALL "BID RESPONSE INSTRUCTIONS" ON PAGE 2, TO INCLUDE ITEM 7 - COPY REQUIREMENT.

SIGNATURE AND NOTARIZATION REQUIRED

I HAVE READ THE ENTIRE BID AND AGREE TO FURNISH EACH ITEM OFFERED AT THE PRICE QUOTED. I HERBY AFFIRM I HAVE NOT BEEN IN ANY AGREEMENT OR COLLUSION AMONG BIDDERS IN RESTRAINT OF FREEDOM OF COMPETITION BY AGREEMENT TO BID AT A FIXED PRICE OR TO REFRAIN FROM BIDDING.

SWORN TO AND

SUBSCRIBED BEFORE ME THIS

_____ DAY OF _____

_____
NOTARY PUBLIC

TERM EXP: _____

_____ FEIN OR SSN	_____ AUTHORIZED SIGNATURE (INK)
_____ COMPANY NAME	_____ TYPE/PRINT AUTHORIZED NAME
_____ MAIL ADDRESS	_____ TITLE
_____ CITY, STATE, ZIP	_____ TOLL FREE NUMBER
_____ PHONE INCLUDING AREA CODE	_____ FAX NUMBER

STANDARD TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 09-X-2206810 PAGE 2
INVITATION TO BID
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM

AUTHORITY:
THE DEPARTMENT OF FINANCE CODE OF ADMINISTRATIVE PROCEDURE, CHAPTER 355-4-1 EFFECTIVE DECEMBER 20, 2001 IS INCORPORATED BY REFERENCE AND MADE A PART OF T HIS DOCUMENT. TO RECEIVE A COPY CALL (334)242-7250, OR OUR WEBSITE WWW.PURCHASING.ALABAMA.GOV .

INFORMATION AND ASSISTANCE TO MINORITY BUSINESSES IN THE TECHNICAL COMPLETION OF REQUIRED FORMS MAY BE OBTAINED FROM THE OFFICE OF MINORITY BUSINESS ENTERPRISE, 1-800-447-4191.

BID (ITB) RESPONSE INSTRUCTIONS REV: 04/07/09

1. TO SUBMIT A RESPONSIVE BID, READ THESE INSTRUCTIONS, ALL TERMS, CONDITIONS AND SPECIFICATIONS.

2. BID ENVELOPES/PACKAGES/BOXES MUST BE IDENTIFIED ON FRONT, PREFERABLY LOWER LEFT CORNER AND BE VISIBLE WITH THE BID NUMBER AND OPENING DATE. EACH INDIVIDUAL BID (IDENTIFIED BY A UNIQUE BID NUMBER) MUST BE SUBMITTED IN A SEPERATE ENVELOPE. RESPONSES TO MULTIPLE BID NUMBERS SUBMITTED IN THE SAME ENVELOPE/COURIER PACKAGE, THAT ARE NOT IN SEPARATE ENVELOPES PROPERLY IDENTIFIED, WILL BE REJECTED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR LATE BIDS FOR ANY REASON INCLUDING THOSE DUE TO POSTAL, OR COURIER SERVICE. BID RESPONSES MUST BE IN THE DIVISION OF PURCHASING OFFICE PRIOR TO THE "RECEIVE DATE AND TIME" INDICATED ON THE BID.

3. BID RESPONSES (PAGE 1, PRICE SHEET AND ADDENDUMS (WHEN SIGNATURE IS REQUIRED)) MUST BE IN INK OR TYPED ON THIS DOCUMENT. OR EXACT FORMAT WITH SIGNATURES BEING HANDWRITTEN ORIGINALS IN INK (PERSON SIGNING BID, NOTARY, AND NOTARY EXPIRATION), OR THE BID WILL BE REJECTED. UNLESS INDICATED IN THE BID, ALL PRICE PAGES MUST BE COMPLETED AND RETURNED. IF AN ITEM IS NOT BEING BID, IDENTIFY IT AS NB (NO-BID). PAGES SHOULD BE SECURED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR MISSING PAGES. FAXED BID RESPONSES WILL NOT BE ACCEPTED.

4. THE UNIT PRICE ALWAYS GOVERNS REGARDLESS OF THE EXTENDED AMOUNT. A UNIT PRICE CHANGE ON A LINE MUST BE INITIALED BY THE PERSON SIGNING THE BID, OR THAT LINE WILL BE REJECTED. THIS INCLUDES A CROSS-OUT, STRIKE-OVER, INK-OVER, WHITE-OUT, ERASURE, OR ANY OTHER METHOD CHANGING THE PRICE.

5. A "NO BID" MUST BE RETURNED TO REMAIN ON A CLASS/SUBCLASS. RETURN PAGE 1 MARKED "NO-BID". IDENTIFY IT ON THE ENVELOPE AS A "NO-BID". FAILING TO RESPOND TO 3 ITB'S WITHIN THE SAME CLASS/ SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. RESPONDING WITH 6 "NO-BIDS" WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/ SUBCLASS. A "NO-BID" RECEIVED LATE IS CONSIDERED A NO RESPONSE.

6. THE DIVISION OF PURCHASING IS NOT RESPONSIBLE FOR MISINTERPRETATION OF DATA FAXED FROM THIS OFFICE.

7. THE DIVISION OF PURCHASING REQUIRES AN ORIGINAL AND A MINIMUM OF ONE COMPLETE EXACT COPY (TO INCLUDE SIGNATURE AND NOTARY) OF THE INVITATION-TO-BID RESPONSE. THE ORIGINAL AND THE COPY SHOULD BE SUBMITTED TOGETHER AS A BID PACKAGE.

8. AN IMPROPERLY SUBMITTED BID, LATE BID, OR BID THAT IS CANCELLED ON OR BEFORE THE OPENING DATE WILL BE HELD FOR 90 DAYS AND THEN DESTROYED. THE BID MUST BE RETRIEVED DURUIG REGULAR WORK HOURS, MONDAY - FRIDAY, EXCEPT STATE HOLIDAYS. AFTER THE BID IS DESTROYED, THE DIVISION OF PURCHASING ASSUMES NO RESPONSIBILITY FOR THE DOCUMENT.

DISQUALIFIED/CANCELLED BID

BIDS THAT ARE IMPROPERLY SUBMITTED OR RECEIVED LATE WILL BE A RESPONSE FOR RECORD, BUT WILL NOT BE RETURNED OR A NOTIFICATION MAILED.

THE FOLLOWING IS A PARTIAL LIST WHEREBY A BID RESPONSE WILL BE DISQUALIFIED:

BID NUMBER NOT ON FACE OF ENVELOPE/COURIER PACKAGE/BOX
RESPONSES TO MULTIPLE BID NUMBERS IN SAME ENVELOPE NOT PROPERLY IDENTIFIED
BID RECEIVED LATE
BID NOT SIGNED/NOT ORIGINAL SIGNATURE
BID NOT NOTARIZED/NOT ORIGINAL SIGNATURE OF NOTARY AND/OR NO NOTARY EXPIRATION
NOTARIZED OWN SIGNATURE
REQUIRED INFORMATION NOT SUBMITTED WITH BID
FAILURE TO SUBMIT THE ORIGINAL BID AND A COMPLETE EXACT COPY WILL RESULT IN REJECTION OF THE BID RESPONSE
FAILURE TO MARK RESPONSES AS "ORIGINAL" AND/OR "COPY" COULD RESULT IN THE ENTIRE BID RESPONSE BEING REJECTED

CERTIFICATION PURSUANT TO ACT NO. 2006-557

ALABAMA LAW (SECTION 41-4-116,CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT EXECUTED SHALL CONTAIN A CERTIFICATION THAT THE VENDOR, CONTRACTOR, AND ALL OF ITS AFFILIATES THAT MAKE SALES FOR DELIVERY INTO ALABAMA OR LEASES FOR USE IN ALABAMA ARE REGISTERED, COLLECTING, AND REMITTING ALABAMA STATE AND LOCAL SALES, USE, AND/OR LEASE TAX ON ALL TAXABLE SALES AND LEASES INTO ALABAMA. BY SUBMITTING THIS BID, THE BIDDER IS HEARBY CERTIFYING THAT THEY ARE IN FULL COMPLIANCE WITH ACT NO. 2006-557, THEY ARE NOT BARRED FROM BIDDING OR ENTERING INTO A CONTRACT PURSUANT TO 41-4-116, AND ACKNOWLEDGES THAT THE AWARDING AUTHORITY MAY DECLARE THE CONTRACT VOID IF THE CERTIFICATION IS FALSE.

INTENT TO AWARD

EFFECTIVE MAY 1, 2008, THE STATE OF ALABAMA - DIVISION OF PURCHASING WILL ISSUE AN 'INTENT TO AWARD' BEFORE A FINAL AWARD IS MADE. THE 'INTENT TO AWARD' WILL CONTINUE FOR A PERIOD OF FIVE (5) CALENDAR DAYS, AFTER WHICH A PURCHASE ORDER WILL BE PRODUCED. UPON FINAL AWARD, ALL RIGHTS TO PROTEST ARE FORFEITED. A DETAILED EXPLANATION OF THIS PROCESS MAY BE REVIEWED IN THE ALABAMA ADMINISTRATIVE CODE - CHAPTER 355-4-1(14).

ALTERNATE BID RESPONSE

UNLESS STATED ELSEWHERE IN THIS INVITATION-TO-BID (ITB) THE STATE OF ALABAMA WILL ACCEPT AND EVALUATE ALTERNATE BID SUBMITTALS ON ANY ITB'S. ALTERNATE BID RESPONSES WILL BE EVALUATED ACCORDING TO THE REQUIREMENTS AS ALL OTHER RESPONSES TO THIS ITB.

INTERNET WEBSITE LINK'S

INTERNET AND/OR WEBSITE LINKS WILL NOT BE ACCEPTED IN BID RESPONSES AS A MEANS TO SUPPLY ANY REQUIREMENTS STATED IN THIS ITB (INVITATION-TO-BID).

PRODUCT DELIVERY, RECEIVING AND ACCEPTANCE

IN ACCORDANCE WITH THE UNIVERSAL COMMERCE CODE (CODE OF ALABAMA, TITLE 7), AFTER DELIVERY, THE STATE OF ALABAMA HAS THE RIGHT TO INSPECT ALL PRODUCTS BEFORE ACCEPTING. THE STATE WILL INSPECT PRODUCTS IN A REASONABLE TIMEFRAME. SIGNATURE ON A DELIVERY DOCUMENT DOES NOT CONSTITUTE ACEPTANCE BY THE STATE. THE STATE WILL ACCEPT PRODUCTS ONLY AFTER SATISFACTORY INSPECTION.

SALES TAX EXEMPTION

PURSUANT TO THE CODE OF ALABAMA, 1975, TITLE 40-23-4 (A) (11), THE STATE OF ALABAMA IS EXEMPT FROM PAYING SALES TAX. AN EXEMPTION LETTER WILL BE FURNISHED UPON REQUEST.

INVOICES

INQUIRIES CONCERNING PAYMENT AFTER INVOICES HAVE BEEN SUBMITTED ARE TO BE DIRECTED TO THE RECEIVING AGENCY, NOT THE DIVISION OF PURCHASING

BID RESPONSES AND BID RESULTS

UNEVALUATED BID RESPONSES (NOT BID RESULTS) ARE AVAILABLE ON OUR WEB SITE AT WWW.PURCHASING.ALABAMA.GOV. BID RESULTS WILL BE MADE AVAILABLE FOR REVIEW IN THE DIVISION OF PURCHASING OFFICE, BUT ONLY AFTER THE BID HAS BEEN AWARDED. WE DO NOT FAX OR MAIL COPIES OF BID RESULTS. IF A VENDOR WISHES TO REVIEW BID RESULTS IN OUR OFFICE, THEY SHOULD FAX THEIR REQUEST TO REVIEW THE BID TWO DAYS IN ADVANCE TO THE "BID REVIEW CLERK" AT (334) 242-4419. BE SURE TO REFERENCE THE BID NUMBER.

FOREIGN CORPORATION - CERTIFICATE OF AUTHORITY

ALABAMA LAW PROVIDES THAT A FOREIGN CORPORATION (AN OUT-OF-STATE COMPANY/FIRM) MAY NOT TRANSACT BUSINESS IN THE STATE OF ALABAMA UNTIL IT OBTAINS A CERTIFICATE OF AUTHORITY FROM THE SECRETARY OF STATE. SECTION 10-2B-15.01, CODE OF ALABAMA 1975. TO OBTAIN FORMS FOR A CERTIFICATE OF AUTHORITY, CONTACT THE SECRETARY OF STATE, CORPORATIONS DIVISION, (334) 242-5324. THE CERTIFICATE OF AUTHORITY DOES NOT KEEP THE VENDOR FROM SUBMITTING A BID.

BID IDENTIFICATION

REFERENCE PAGE 2, ITEM 2. DUE TO THE POSTAL SERVICE PUTTING BAR CODE LABELS ON ENVELOPES, IT CONCEALS THE BID NUMBER AND DATE IF THE VENDOR HAS WRITTEN THEM OTHER THAN THE LOWER LEFT CORNER, THEREFORE THE BID WOULD BE REJECTED FOR NOT BEING PROPERLY IDENTIFIED.

****

AWARD:
AWARD WILL BE BY INDIVIDUAL ITEM, OR GROUPS OF ITEMS (IF INDICATED) TO THE LOWEST RESPONSIBLE BIDDER MEETING ALL SPECIFICATIONS.

DEFAULT:
WHEN A VENDOR DEFAULTS ON A CONTRACT/PURCHASE ORDER, THE STATE CAN PROCURE THE GOODS OR SERVICES FROM OTHER SOURCES AND HOLD THE VENDOR RESPONSIBLE FOR ANY EXCESS IN PRICE/HANDLING. ALSO, THE VENDOR'S CONTRACT MAY BE CANCELED, AND THE VENDOR MAY BE BARRED FROM BIDDING FOR AN INDETERMINATE PERIOD.

VENDORS ARE CAUTIONED TO SUPPLY THE EXACT EQUIPMENT THEY BID ON THIS CONTRACT. FAILURE TO SUPPLY THE EXACT EQUIPMENT WILL BE CONSIDERED AS DEFAULT. AS A RESULT, THE VENDOR'S CONTRACT WILL BE CANCELED, AND THE VENDOR WILL BE BARRED FROM BIDDING FOR AN INDETERMINATE PERIOD.

DELIVERY TIME FRAME:
UNLESS OTHERWISE STATED, ALL ITEMS ORDERED MUST BE DELIVERED TO THE "SHIP TO" ADDRESS SHOWN ON THE P.O. WITHIN THIRTY (30) DAYS OF VENDOR'S RECEIPT OF ORDER.

DELIVERY:
ITEMS ARE TO BE DELIVERED TO VARIOUS LOCATIONS THROUGHOUT THE 67 COUNTIES IN ALABAMA. THE EXACT LOCATIONS AND QUANTITIES WILL BE PROVIDED BY THE REQUISITING AGENCY.

DELIVERY:
THE VENDOR MUST MAINTAIN AN INVENTORY SUFFICIENT TO MAKE SHIPMENT ON ALL ORDERS WITHIN THE TIMEFRAME STATED IN THE SOLICITATION.

RETURN FREIGHT & STORAGE CHARGES:
THE VENDOR IS RESPONSIBILE FOR ANY STORAGE AND/OR RETURN FREIGHT CHARGES INCURRED BY THE STATE AS A RESULT OF VENDOR'S FAILURE TO CONFORM TO PRODUCT SPECIFICATIONS AND APPROVALS/STANDARDS.

FREIGHT TERMS:
ALL ORDERS SHALL BE F.O.B. DESTINATION TO ANY POINT IN ALABAMA. ITEMS WILL BE DELIVERED TO THE OFFICE OF THE ORDERING AGENCY LISTED ON THE PURCHASE ORDER WITH ALL FREIGHT CHARGES PAID BY THE VENDOR.
DOCK DELIVERIES ARE NOT ACCEPTABLE.

FREIGHT:
BID IS F.O.B. DESTINATION. ANY FREIGHT CHARGES MUST BE INCLUDED IN THE BID PRICES. DO NOT INCLUDE FREIGHT AS A SEARATE LINE ITEM.

CONTRACT PERIOD:
ESTABLISH A 12 MONTH CONTRACT WITH AN OPTION TO EXTEND FOR A SECOND, THIRD, FOURTH, AND FIFTH 12 MONTH PERIOD WITH THE SAME PRICING, TERMS AND CONDITIONS. THE SECOND, THIRD, FOURTH, OR FIFTH 12 MONTH PERIOD, IF AGREED BY BOTH PARTIES, WOULD BEGIN THE DAY AFTER THE FIRST, SECOND, THIRD, OR FOURTH 12 MONTH PERIOD EXPIRES. ANY SUCCESSIVE EXTENSION MUST HAVE WRITTEN APPROVAL OF BOTH THE STATE AND VENDOR NO LATER THAN 30 DAYS PRIOR TO EXPIRATION OF THE PREVIOUS 12 MONTH PERIOD.

DESCRIPTIVE LITERATURE:
THE BRANDS AND MODEL NUMBERS REFERENCED PROVIDE A LEVEL OF QUALITY, AND UNLESS OTHERWISE SPECIFIED, ARE NOT RESTRICTIVE. VENDORS BIDDING ALTERNATE ITEMS MUST PROVIDE COMPLETE DESCRIPTIVE/TECHNICAL LITERATURE FOR CONSIDERATION AND EVALUATION WITH THEIR BID, AND WITH THE BID COPY PER ITEM NUMBER 7 ON PAGE 2. REFERENCE TO LITERATURE WITH A PREVIOUS BID WILL NOT SATISFY THIS REQUIREMENT. FAILURE TO PROVIDE THE REQUIRED LITERATURE WILL RESULT IN THE REJECTION OF THE BID.

PHYSICAL INSPECTION AND OPERATIONAL EVALUATION MAY ALSO BE REQUIRED WITHOUT COST OR OBLIGATION TO THE STATE OF ALABAMA.

DESCRIPTIVE LITERATURE IS DEFINED AS THE MANUFACTURER'S SPECIFICATIONS AND/OR BROCHURES. NO HAND WRITTEN, TYPED, COMPUTER GENERATED OR REFERENCE TO ANY OTHER TYPE OF DOCUMENTATION WILL BE ACCEPTED. THE DOCUMENTATION SHOULD BE LABELED WITH THE BID LINE NUMBER. FAILURE TO DO SO COULD DELAY THE BID EVALUATION.

STANDARDS AND APPROVALS:
EQUIPMENT AND CLOTHING MUST MEET THE MOST CURRENT FEDERAL OSHA, NFPA AND UL STANDARDS AS WELL AS NIOSH, AND NAFA STANDARDS. ANY LINE ITEM(S) NOT MEETING THESE STANDARDS WILL BE REJECTED.

ANY STANDARDS AND APPROVALS REQUIRED MUST BE STATED IN THE MANUFACTURER'S SPEFICIFICATION SHEETS AND/OR BROCHURES. NO OTHER REFERENCE TO THESE STANDARDS OR APPROVALS WILL BE ACCEPTED. IF THIS INFORMATION IS NOT INCLUDED IN THE MANUFACTURER'S DOCUMENTATION, THE LINE ITEM WILL BE REJECTED.

ALL EQUIPMENT:
ALL EQUIPMENT DELIVERED MUST BE NEW, AND OF RECENT MANUFACTURE, FIRST CLASS IN EVERY RESPECT, AND SUITABLE FOR THEIR INTENDED PURPOSE.

ALL EQUIPMENT DELIVERED MUST BE THE EXACT EQUIPMENT LISTED ON THIS CONTRACT AS SHOWN. FAILURE TO DELIVER THE EXACT EQUIPMENT AS SHOWN WILL RESULT IN AN IMMEDIATE TERMINATION OF THE CONTRACT. THE VENDOR WILL BE BARRED FROM BIDDING FOR AN INDETERMINATE PERIOD.

BLANK LINES:
TO EVALUATE THE BID IN AN EFFICIENT MANNER, THE VENDOR MUST FILL-IN ALL BLANK LINES APPLICABLE TO A SPECIFIC COMMODITY DESCRIPTION. THIS IS THE INFORMATION THAT WILL APPEAR ON THE ACTUAL TERM CONTRACT DOCUMENT. FAILURE TO FILL-IN THE BLANK LINES WILL RESULT IN THE BID ON THAT ITEM TO BE REJECTED.

REQUESTED INFORMATION:
ANY ADDITIONAL INFORMATION REQUESTED FROM A VENDOR MUST BE FURNISHED WITHIN FIVE (5) DAYS FROM RECEIPT OF REQUEST. FAILURE TO PROVIDE THE THE REQUESTED INFORMATION WITHIN THE 5 DAYS WILL RESULT IN THE BID ON THAT ITEM TO BE REJECTED.

PURPOSE:
ESTABLISH A CONTRACT FROM THE ITEMS LISTED FOR ALL STATE AGENCIES. CONTRACT PRICES ARE AVAILABLE TO ALL LOCAL GOVERNMENTAL AGENCIES AND SCHOOLS.

SAMPLES:
IF REQUESTED, AFTER THE BID IS OPENED, SAMPLES ARE TO BE FURNISHED AT VENDOR'S EXPENSE WITHIN FIVE (5) CALENDAR DAYS AFTER NOTIFICATION. IF NOT DESTROYED DURING EVALUATION, SAMPLES WILL BE RETURNED UPON REQUEST. THE REQUEST SHALL INCLUDE A UPS PICKUP SLIP OR OTHER MODE OF RETURN. INDIVIDUAL SAMPLES SHOULD BE LABELED WITH VENDOR NAME, ITB NUMBER, ITEM REFERENCE NUMBER, MANUFACTURER AND MODEL NUMBER. FAILURE TO FURNISH SAMPLES AS REQUESTED WILL RESULT IN LINE ITEM REJECTION.

****

GENERAL REQUIREMENTS FOR FIREFIGHTER'S PROTECTIVE CLOTHING

THE MANUFACTURER MUST BE LOCATED IN THE UNITED STATES.

ALL COATS AND PANTS DELIVERED UNDER THIS CONTRACT MUST HAVE A SEWN IN LABEL THAT INDICATES THE GARMENT HAS BEEN CERTIFIED BY UNDERWRITER'S LABORATORIES (U.L.) AS COMPLYING WITH THE NFPA 1971 STANDARDS, MOST CURRENT EDITION.

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM

DOCUMENTATION OF U.L. CERTIFICATION MUST BE PROVIDED WITH EACH STYLE BEING BID. FAILURE TO DO SO WILL RESULT IN LINE ITEM REJECTION.

THE FOLLOWING STYLES AND COLORS SHALL BE AVAILABLE "IN STOCK" FOR IMMEDIATE DELIVERY:

STYLES & COLORS: "GOOD LEVEL" - YELLOW WITH RED/ORANGE TRIM
"BETTER LEVEL" - KAHKI WITH LIME YELLOW TRIPLE TRIM
"BEST LEVEL A" - GOLD WITH LIME YELLOW TRIPLE TRIM
"BEST LEVEL B" - NO STOCKING REQUIREMENTS
HELMETS - YELLOW AND BLACK

****

CLOTHING DELIVERY TERMS

****

ALL FIREFIGHTER'S CLOTHING ITEMS OF VARIOUS SIZES IDICATED ABOVE AS "IN STOCK" ITEMS SHALL BE DELIVERED WITHIN 30 DAYS OF RECEIPT OF ORDER. IF "IN-STOCK" ITEMS ARE DEPLETED, THE VENDOR SHALL HAVE UP TO 45 DAYS TO DELIVER COATS, PANTS OR SUPSENDERS AND UP TO 60 DAYS TO TO DELIVER HELMETS. DELIVERIES NOT MADE WITHIN THIS TIMEFRAME MAY BE REFUSED AND RETURNED AT THE VENDORS EXPENSE.

****

********* SPECIFICATIONS 200C10 FIREMAN HELMETS *****************

CONSTRUCTION: OUTER SHELL AND INNER CROWN SHALL BE CONSTRUCTED OF HEAT-RESISTANT MATERIALS; DETACHABLE INNER CROWN CONSISTING OF A POLYPHENYLENE OXIDE INNER SHELL AND A URETHANE FOAM IMPACT LINER.

SUSPENSION: 6-POINT NYLON CROWN STRAP ANCHORED TO INNER CROWN ASSEMBLY. ADJUSTMENTS INCLUDE AN INDEPENDENTLY ATTACHED HEADBAND WITH A POSITIVE TYPE LOCK SYSTEM.

HELMET SHALL HAVE AN ADJUSTIBLE NOMEX CHIN STRAP WITH QUICK-RELEASE BUCKLE, POSTMAN'S SLIDE FASTENER AND VELCRO RETURN. CHIN STRAP SHALL ANCHOR TO OUTER SHELL WITH DIELECTRIC BRACKET. EAR/NECK PROTECTOR MATERIAL SHALL BE RIP-STOP NOMEX WITH VELCRO ATTACHMENT. HARD COATED POLYCARBONATE FACESHIELD (4" X 15") SHALL BE MOUNTED TO HELMET BRIM AND ALLOW FOR A MINIMUM RETRACTABLILITY OF 90 DEGREES.

COLORS: SHALL BE AVAILABLE IN WHITE, RED, YELLOW, BLACK, ORANGE, BLUE AND LIME-YELLOW

WARRANTY: MANUFACTURER SHALL WARRANT TO THE ORIGINAL PURCHASER THAT THE ENTIRE HELMET (EXCLUDING FACESHIELD) IS FREE OF DEFECTS IN MATERIAL AND WORKMANSHIP, UNDER NORMAL USE AND SERVICE FOR A PERIOD OF TWO (2) YEARS FROM DATE OF MANUFACTURE.

*********** SPECIFICATION #200D01 FOR FIREFIGHTER COATS ***********

TURNOUT COAT "GOOD" LEVEL: COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. COATS MUST HAVE SEWN IN LABEL INDICATING U.L. CERTIFICATION.

COATS MUST BE TRADITIONAL 35" LENGTH DESIGN, AND OFFER A MINIMUM TPP VALUE OF 40.

COAT MUST HAVE A FIREFIGHTER RECOVERY HARNESS, DRAG RESCUE DEVICE.

MATERIAL COMPOSTION:
OUTER SHELL - 7.5 OZ. NOMEX IIIA; AVAILABLE IN NATURAL, YELLOW, BLACK, RED, AND TAN. MOISTURE BARRIER MUST BE BREATHABLE.
THERMAL LINER - NOMEX QUILT OR EQUAL

STYLE: 35" TRADITIONAL COAT WITH THE FOLLOWING FEATURES:
-SNAPS AND HOOK & D-RINGS CLOSURE SYSTEM
-TWO PATCH POCKETS ON LOWER HALF OF COAT; MINIMUM 10" X 10"
-NFPA 1971 COMPLIANT SCOTCHLITE REFLECTIVE TRIM

NUMERICAL CHEST SIZES SHALL BE AVAILABLE WITH SLEEVES GRADUATING ACCORDING TO CHEST SIZE.

********** SPECIFICATION #200D02 FOR FIREFIGHTER PANTS ************

TURNOUT PANTS - "GOOD" LEVEL: COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. PANTS MUST HAVE SEWN IN LABEL INDICATING U.L. CERTIFICATION.

PANTS MUST BE TRADITIONAL WAIST DESIGN, AND OFFER A MINIMUM TPP VALUE OF 40.

MATERIAL COMPOSTION:
OUTER SHELL - 7.5 OZ. NOMEX IIIA; AVAILABLE IN NATURAL, YELLOW, BLACK, RED, AND TAN MOISTURE BARRIER MUST BE BREATHABLE
THERMAL LINER - NOMEX QUILT OR EQUAL

STYLE: TRADITIONAL PANTS WITH THE FOLLOWING FEATURES:
-SNAPS AND HOOK & D-RINGS CLOSURE SYSTEM.
-TAKE-UP STRAP FOR ADJUSTMENT
-SUEDE LEATHER KNEE PATCHES; MINIMUM 9"X10", DOUBLE STITCHED NOMEX OR EQUAL PADDED KNEES, ADDITIONAL THERMAL PROTECTION, 2" SCOTHLITE

REFLECTIVE TRIM SHOULD BE SEWN AROUND CUFFS

NUMERICAL WAIST AND INSEAM SIZES SHALL BE AVAILABLE.

********** SPECIFICATION #200D04 FOR FIREFIGHTER COATS **********

TURN-OUT COAT - "BETTER" LEVEL: COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. COATS MUST HAVE SEWN IN LABEL INDICATING U.L. CERTIFICATION.

COAT MUST BE SHORT 32" LENGTH DESIGN, AND OFFER A MINIMUM TPP VALUE OF 40.

COAT MUST HAVE A FIREFIGHTER RECOVERY HARNESS, DRAG RESCUE DEVICE.

MATERIAL COMPOSITION:
- OUTER SHELL - 7.0 NOMEX/KEVLAR "ADVANCE", AVAILABLE IN KHAKI, RUST, BLACK AND YELLOW.
- MOISTURE BARRIER - MUST BE BREATHABLE
- THERMAL LINER "ARALITE" OR EQUAL

STYLE: 32" SHORT COAT WITH THE FOLLOWING FEATURES:
- ZIPPER INNER, VELCRO OUTER CLOSURE SYSTEM
- TWO EXPANSION STYLE POCKETS ON LOWER HALF OF COAT; MINIMUM 9"X 9"
- KEVLAR HARD AND WRIST GUARDS
- RADIO POCKET WITH FLAP AND MICROPHONE CLIP
- NFPA 1971 COMPLIANT SCOTCHLITE NYC TRIPLE REFLECTIVE TRIM

NUMERICAL CHEST SIZES SHALL BE AVAILABLE WITH SLEEVES GRADUATING ACCORDING TO CHEST SIZE

********* SPECIFICATION #200D05 FOR FIREFIGHTER COATS **********

TURNOUT COAT - "BEST - A" LEVEL: COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. COATS MUST HAVE SEWN IN LABEL INDICATING U.L. CERTIFICATION.

COAT MUST BE SHORT 32" LENGTH DESIGN, AND OFFER A MINIMUM TPP VALUE OF 40.

COAT MUST HAVE A FIREFIGHTER RECOVERY HARNESS, DRAG RESCUE DEVICE.

MATERIAL COMPOSITION:
- OUTER SHELL - 7.5 OZ. PBI/KEVLAR; AVAILABLE IN GOLD AND BLACK
- MOISTURE BARRIER - MUST BE BREATHABLE
- THERMAL LINER "ARALITE" OR EQUAL

STYLE: 32" COAT WITH THE FOLLOWING FEATURES:
- ZIPPER INNER, VELCRO OUTER CLOSURE SYSTEM
- TWO EXPANSION STYLE POCKETS ON LOWER HALF OF COAT; MINIMUM 9"X 9"
- KEVLAR HARD AND WRIST GUARDS
- RADIO POCKET WITH FLAP AND MICROPHONE CLIP
- NFPA 1971 COMPLIANT SCOTCHLITE NYC TRIPLE REFLECTIVE FRIM

NUMERICAL CHEST SIZES SHALL BE AVAILABLE WITH SLEEVES GRADUATING ACCORDING TO CHEST SIZE

TURNOUT COAT - "BEST - B" LEVEL: COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. COATS MUST HAVE SEWN IN LABEL INDICATING U.L. CERTIFICATION.

COAT MUST BE SHORT 32" LENGTH DESIGN, AND OFFER A MINIMUM TPP VALUE OF 35.

MATERIAL COMPOSITION:
- OUTER SHELL - SOUTHERN MILLS 7.5 OZ. MILLENIA IN NATURAL TAN.
- MOISTURE BARRIER - CROSSTECH ON NOMEX PAJAMA CHECK.
- THERMAL LINER - CALDURA SL W/2 LAYER E89.

STYLE: 32" COAT WITH THE FOLLOWING FEATURES:
- ZIPPER INNER, VELCRO OUTER CLOSURE SYSTEM
- TWO EXPANSION STYLE POCKETS ON LOWER HALF OF COAT; MINIMUM 9" X 9"
- RADIO POCKET WITH FLAP AND MICROPHONE CLIP
- NFPA 1971 COMPLIANT SCOTCHLITE NYC TRIPLE REFLECTIVE TRIM

NUMERICAL CHEST SIZES SHALL BE AVAILABLE WITH SLEEVES GRADUATING ACCORDING TO CHEST SIZE.

********** SPECIFICATION #200D06 FOR FIREFIGHTER PANTS **********

TURN-OUT PANTS: "BETTER" LEVEL; COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. PANTS MUST HAVE SEWN IN LABEL INDICATING A U.L. CERTIFICATION. PANTS MUST BE COMPATIBLE WITH SHORTCOAT DESIGN, AND OFFER A MINIMUM TPP VALUE OF 40. SUSPENDERS TO BE INCLUDED.

MATERIAL COMPOSITION:
- OUTER SHELL- 7.0 NOMEX/KEVLAR "ADVANCE", AVAILABLE IN KHAKI, RUST, BLACK AND YELLOW.
- MOISTURE BARRIER - MUST BE BREATHABLE
- THERMAL LINER - "ARALITE" OR EQUAL

STYLE: HI-BACK TROUSER DESIGN WITH THE FOLLOWING FEATURES:
- VELCRO, HOOK & D-RING CLOSURE SYSTEM
- TAKE-UP STRAPS FOR ADJUSTMENT
- SUEDE LEATHER KNEE PATCHES; MINIMUM 9"X10", DOUBLE STITCHED NOMEX OR EQUAL PADDED KNEES FOR ADDITIONAL THERMAL PROTECTIOON.
- TWO EXPANSION STYLE POCKETS ON THIGHS; MINIMUM 9" X 10" X 2" AND REINFORCED ON LOWER HALF.
- NFPA COMPLIANT 3" SCOTCHLITE TRIPLE REFLECTIVE CUFF TRIM.

NUMERICAL WAIST AND INSEAM SIZES SHALL BE AVAILABLE.

********** SPECIFICATION #200D07 FOR PANTS, FIREMAN **********

TURN-OUT PANTS: "BEST- A" LEVEL; COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. PANTS MUST HAVE SEWN IN LABEL INDICATING A U.L. CERTIFICATION. PANTS MUST BE COMPATIBLE WITH SHORT COAT DESIGN, AND OFFER A MINIMUM TPP VALUE OF 40. SUSPENDERS TO BE INCLUDED.

MATERIAL COMPOSITION:
- OUTER SHELL- 7.5 OZ. PBI/KEVLAR; AVAILABLE IN GOLD AND BLACK.
- MOISTURE BARRIER - MUST BE BREATHABLE
- THERMAL LINER - "ARALITE" OR EQUAL

STYLE: III-BACK TROUSER DESIGN WITH THE FOLLOWING FEATURES:
- VELCRO, HOOK & D-RING CLOSURE SYSTEM OR EQUAL.
- TAKE-UP STRAPS FOR ADJUSTMENT
- SUEDE LEATHER KNEE PATCHES; MINIMUM 9"X10", DOUBLE STITCHED NOMEX OR EQUAL PADDED KNEES FOR ADDITIONAL THERMAL PROTECTION.
- TWO EXPANSION STYLE POCKETS ON THIGHS; MINIMUM 9" X 10" X 2" AND REINFORCED ON LOWER HALF.
- NFPA COMPLIANT 3" SCOTCHLITE TRIPLE REFLECTIVE CUFF TRIM.

NUMERICAL WAIST AND INSEAM SIZES SHALL BE AVAILABLE.

TURN-OUT PANTS: "BEST- B" LEVEL; COMPLIES WITH NFPA 1971, MOST CURRENT EDITION. PANTS MUST HAVE SEWN IN LABEL INDICATING A U.L. CERTIFICATION. PANTS MUST BE COMPATIBLE WITH SHORT COAT DESIGN, AND OFFER A MINIMUM TPP VALUE OF 35. SUSPENDERS TO BE INCLUDED.

MATERIAL COMPOSITION:
- OUTER SHELL- SOUTHERN MILLS 7.5 OZ. MILLENIA IN NATURAL TAN.
- MOISTURE BARRIER - CROSSTECH ON NOMEX PAJAMA CHECK.
- THERMAL LINER - CALDURA SL W/2 LAYER E89.

STYLE: HI-BACK TROUSER DESIGN WITH THE FOLLOWING FEATURES:
- VELCRO, HOOK & D-RING CLOSURE SYSTEM
- TAKE-UP STRAPS FOR ADJUSTMENT
- SUEDE LEATHER KNEE PATCHES; MINIMUM 9" X 10", DOUBLE STITCHED NOMEX PADDED KNEES FOR ADDITIONAL THERMAL PROTECTION.
- TWO EXPANSION STYLE POCKETS ON THIGHS; MINIMUM 9" X 10" X 2" AND REINFORCED ON LOWER HALF.
- NFPA COMPLIANT 3" SCOTCHLITE TRIPLE REFLECTIVE CUFF TRIM.

NUMERICAL WAIST AND INSEAM SIZES SHALL BE AVAILABLE.

********** SPECIFICATION #340D01 FOR FIRE HOSE **********

DOUBLE JACKET: 1 1/2", 1 3/4", 2", 2 1/2", 3"

HOSE SHALL BE DOUBLE JACKET WITH 100% POLYESTER WOVEN EXTENSION & SYNTHETIC RUBBER TUBE WHICH SHALL BE OZONE RESISTANT WITH COUPLINGS ATTACHED TO EACH END. WEIGHT PER 50 FT. COUPLED HOSE SHALL NOT EXCEED 19 LBS. PRESSURE TEST SHALL INDICATE NO LESS THAN 600 P.S.I. BURSTING PRESSURE. HOSE SHALL MEET OR EXCEED NFPA STANDARD 1961 & UL STANDARD 19. TUBE SHALL BE OF SYNTHETIC MATERIAL WHICH SHALL MEET OR EXCEED UL, NFPA, & FM STANDARDS FOR MUNICIPAL FIRE HOSE. COUPLINGS SHALL BE OF EXTRUDED ALUMINUM, HAND COATED EXPANSION RING TYPE WITH THREE ROCKER LUGS ON MALE & FEMALE ENDS. ALL THREADS SHALL BE NST.

DETAILED SPECIFICATIONS PROVIDED AT MANDATORY PRE-BID CONFERENCE

****

****** SPECIFICATION #340D02 FOR MUNICIPAL FIRE SUPPLY HOSE ******

4" AND 5" IN 100' LENGTHS

SPECIFICATIONS PROVIDED AT MANDATORY PRE-BID CONFERENCE

****

********** SPECIFICATION #340D03 FOR NOZZLE **********

SHALL BE A COMBINATION FOG AND STRAIGHT STREAM WITH BALL SHUT OFF AND SHALL HAVE AT LEAST THREE FIXED CONSTANT GALLON SETTINGS WHICH CAN BE CHANGED WITHOUT SHUTTING DOWN THE FIRE STREAM. IT SHALL HAVE SPINNING TEETH, MULTIPLE PATTERN DETENTS. CONSTRUCTION SHALL BE OF CHROME PLATED BRASS AND/OR ALUMINUM ALLOY AND SHALL HAVE A MINIMUM 110 DEGREE ANGLE AT WIDE FOG WITH FULL-TIME SWIVEL INLET, MUST BE CAPABLE OF FLUSHING W/O SHUTTING DOWN. MUST MEET NFPA 1964 STANDARDS 1993 EDITION MUST BE MADE IN U.S.A.

********** SPECIFICATION #800D01 FOR BOOTS **********

SHALL BE OF POLY-RUBBER OR EQUIVALENT RUBBER MATERIAL TREATED WITH A POLYRETHANE PROTECTIVE COATING. SHALL BE RESISTANT TO OZONE, ABRASION, AND THE CORROSIVE ACTION OF ACIDS, ALKALIS, AND CAUSTICS. ALL SEAMS OF BOOTS SHALL BE VULCANIZED TO ASSURE WATERPROOFING. BOOTS SHALL HAVE STEEL SAFETY TOE TESTED TO ANSI Z41.1-1967, CLASS 75 STANDARDS AT 2500 POUNDS STACTIC PRESSURE. A MID-SOLE OF ONE PIECE STAINLESS STEEL, HEEL TO TOE, AND A TEMPERED STEEL SHANK SHALL BE REQUIRED IN BOOTS. BOOTS SHALL HAVE A HEAVY DUTY FELT, NYLON AND NET LINING THROUGHOUT WITH A CUSHION INSOLE. SOLES OF BOOTS SHALL BE TREADED IN SUCH MANNER AS TO ALLOW GREATEST TRACTION ON WET OR SLIPPERY SURFACES. FULL-LOOPS ON BOOTS SHALL BE FABRIC COVERED AND PERMANENTLY BONDED INTO POSITION SO AS TO ASSURE THEY WILL NOT PULL OUT. BOOTS SHALL HAVE SAFETY YELLOW TRIM.

SHALL MEET OR EXCEED NFPA 1974 REQUIREMENTS.

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM

****

MANDATORY PRE-BID INSTRUCTIONS OVER >>>>>>>>>

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM

MANDATORY PRE-BID CONFERENCE

VENDORS MUST ATTEND THE CONFERENCE IN ORDER TO BID. FAILURE TO ATTEND WILL RESULT IN BID REJECTION.

MANDATORY PER-BID CONFERENCE DATE, TIME, AND PLACE

DATE: AUGUST 7, 2009
TIME: 9:00 AM
PLACE: DIVISION OF PURCHASING
100 NORTH UNION STREET, STE 192
MONTGOMERY, AL 36104

********** SPECIAL NOTE **********

PRICING PAGE COPIES FOR OPENING: EACH BIDDER ATTENDING THE BID OPENING IS REQUESTED TO BRING 15 SETS OF COPIES OF PAGES 15 - 30. DO NOT SUBMIT THESE SETS WITH BID AS THEY WILL NOT BE ACCEPTED. THE COPIES WILL BE HANDED OUT AT THE END OF THE BID OPENING.

ALSO NOTE THE ORIGINAL AND EXACT COMPLETE COPY REQUIREMENT ON PAGE 2, ITEM 7 OF THIS INVITATION TO BID. FAILURE TO SUBMIT THE ORIGINAL AND ONE COMPLETE EXACT COPY OF THE ITB TO INCLUDE THE REQUIRED DESCRIPTIVE LITERATURE WILL RESULT IN BID REJECTION.
****

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 09-X-2206810

INVITATION TO BID

OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	UNLESS SPECIFIED OTHERWISE BELOW: SHIP TO: R1 / STATEWIDE				
-----	--- BEGIN GROUPING LINES: 00001 ----------	-----		----------	----------
00001	COMMODITY CODE: 340-10-085181 COAT, FIREMAN "GOOD" LEVEL IN COLORS: WHITE, YELLOW, TAN PER SPECIFICATION 200D01 MFR:_____MODEL_____ LION BODY GUARD, MODEL BG1971 OR GLOBE, MODEL 10776-1 OR FIRE DEX, MODEL TEQP35, LAKELAND IND, MODEL ST2202/78 OR EQUAL COAT LENGTH_____	1	EA	_____	_____
00002	COMMODITY CODE: 340-10-085182 PANTS, FIREMAN "GOOD" LEVEL COLORS WHITE YELLOW AND TAN PER SPECIFICATION 200D02. MFR_____MODEL_____ LION BODY GUARD, MODEL P1971 OR GLOBE, MODEL 20776-1 OR FIRE DEX, MODEL BEQP29, LAKELAND IND, MODEL ST2302/78 OR EQUAL	1	PR	_____	_____
-----	---END GROUPING LINES: 00001 - 00002 ----------	-----		GRP TOTAL	_____
-----	--- BEGIN GROUPING LINES: 00003 ----------	-----		----------	----------
00003	COMMODITY CODE: 340-10-085183 COAT, FIREMAN "GOOD" LEVEL, COLOR BLACK, PER SPECIFICATIONS 200D01. MFR_____MODEL_____ LION BODY GUARD, MODEL BG1971 OR GLOBE, MODEL 10776-1 OR FIRE DEX, MODEL TEQP35, LAKELAND IND, MODEL ST2202/78 OR EQUAL COAT LENGTH_____	1	EA	_____	_____
00004	COMMODITY CODE: 340-10-085184 PANTS, FIREMAN "GOOD" LEVEL, COLOR BLACK PER SPECIFICATINS 200D02. MFR_____MODEL_____ LION BODY GUARD, MODEL P1971 OR GLOBE, MODEL 20776-1 OR FIRE DEX, MODEL BEQP35, LAKELAND IND, MODEL ST2302/78 OR EQUAL	1	PR	_____	_____
-----	---END GROUPING LINES: 00003 - 00004 ----------	-----		GRP TOTAL	_____
-----	--- BEGIN GROUPING LINES: 00005 ----------	-----		----------	----------
00005	COMMODITY CODE: 340-10-085185 COAT, FIREMAN "BETTER" LEVEL IN COLORS	1	EA	_____	_____

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	YELLOW, TAN, AND RUST PER SPECIFICATION 200D04. MFR_____MODEL_____ LION LIBERTY, MODEL LIBC-A, OR GLOBE MODEL 82782-8, OR FIRE DEX, MODEL TEQB35 LAKELAND IND, MODEL STBA2205/62 OR EQUAL COAT LENGTH_____				
00006	COMMODITY CODE: 340-10-085186 PANTS, FIREMAN "BETTER" LEVEL IN COLORS YELLOW, TAN, AND RUST PER SPECIFICATIN 200D06. MFR_____MODEL_____ LION LIBERTY, MODEL LIBP-A, OR GLOBE MODEL 92782-8, OR FIRE DEX, MODEL BEQB29 LAKELAND IND, MODEL STBA2305/62 OR EQUAL	1	PR	_____	_____
-----	---END GROUPING LINES: 00005 - 00006 ----------	-----	GRP TOTAL		_____
-----	--- BEGIN GROUPING LINES: 00007 ----------	-----	----------		----------
00007	COMMODITY CODE: 340-10-085187 COAT, FIREMAN "BETTER" LEVEL, COLOR BLACK, PER SPECIFICATION 200D04. MFR_____MODEL_____ LION LIBERTY, MODEL LIBC-AB, OR GLOBE MODEL 82782-8, OR FIRE DEX, MODEL TEQB35 LAKELAND IND, MODEL STBA2205/62 OR EQUAL COAT LENGTH_____	1	EA	_____	_____
00008	COMMODITY CODE: 340-10-085188 PANTS, FIREMAN "BETTER" LEVEL COLOR BLACK, PER SPECIFICATION 200D06. MFR_____MODEL_____ LION LIBERTY, MODEL LIBP-AB, OR GLOBE MODEL 82872-8, OR FIRE DEX, MODEL BEQB29 LAKELAND IND, MODEL STBA2305/62 OR EQUAL	1	PR	_____	_____
-----	---END GROUPING LINES: 00007 - 00008 ----------	-----	GRP TOTAL		_____
-----	--- BEGIN GROUPING LINES: 00009 ----------	-----	----------		----------
00009	COMMODITY CODE: 340-10-085189 COAT FIREMAN "BEST" A LEVEL, COLOR BLACK PER SPECIFICATION 200D05. MFR_____MODEL_____ LION LIBERTY, MODEL LIBC-PB, LAKELAND IND, MODEL STBA2219/62 OR EQUAL COAT LENGTH_____	1	EA	_____	_____
00010	COMMODITY CODE: 340-10-085190 PANTS, FIREMAN "BEST A LEVEL COLOR BLACK	1	PR	_____	_____
	PAGE TOTAL				_____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	PER SPECIFICATION 200D07. MFR_____ZMODEL_____ LION LIBERTY, MODEL LIBP-PB, LAKELAND IND, MODEL STBA2319/62 OR EQUAL				
-----	---END GROUPING LINES: 00009 - 00010 ----------	-----	GRP TOTAL		_____
-----	--- BEGIN GROUPING LINES: 00011 ----------	-----	----------		----------
00011	COMMODITY CODE: 340-10-085191 COAT, FIREMAN "BEST" A LEVEL COLOR GOLD PER SPECIFICATION 200D05. MFR_____MODEL_____ GLOBE, MODEL 81082-8, OR LIBERITY, MODEL LIBC-P, LAKELAND IND, MODEL STBA2219/62 OR QUAL COAT LENGTH_____	1	EA	_____	_____
00012	COMMODITY CODE: 340-10-085192 PANTS, FIREMAN "BEST" A LEVEL COLOR GOLD PER SPECIFICATION 200D07. MFR_____MODEL_____ GLOBE, MODEL 91082-8, OR LIBERTY, MODEL LIBP-P, LAKELAND IND, MODEL STBA2319/62 OR EQUAL	1	PR	_____	_____
-----	---END GROUPING LINES: 00011 - 00012 ----------	-----	GRP TOTAL		_____
-----	--- BEGIN GROUPING LINES: 00013 ----------	-----	----------		----------
00013	COMMODITY CODE: 340-10-085195 COAT, FIREMAN "BEST" B LEVEL COLOR: TAN PER SPECIFICATION 200D05. MFR_____MODEL_____ GLOBE, MODEL 83077-4, MORING PRIDE MODEL LTO-33Q2-C, OR EQUAL COAT LENGTH_____	1	EA	_____	_____
00014	COMMODITY CODE: 340-10-085196 PANTS, FIREMAN "BEST" B LEVEL, COLOR: TAN, PER SPECIFICATION 200D07. MFR_____MODEL_____ GLOBE, MODEL 93077-4, MORNING PRIDE MODEL LT0-33Q2-P, OR EQUAL	1	PR	_____	_____
-----	---END GROUPING LINES: 00013 - 00014 ----------	-----	GRP TOTAL		_____
00015	COMMODITY CODE: 340-10-085259 SUSPENDERS, 2" WEB 100% POLYESTER,42-1/2 INCH LONG W/FOUR ELASTIC BACK STRAPS 10" LONG OF POLY BLEND & 22 GA. RUBBER STRANDS. NON-ELASTIC SHOULDER STRAPS	1	SET	_____	_____
	PAGE TOTAL				_____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	WITH SLIDE ADJUSTERS. ALL METAL PARTS OF BRASS PLATED STEEL. NOMEX THREAD. BRASS PLATED STEEL BUTTONHOLE LOOPS SEWN TO 8 POINTS OF ATTACHMENT OF WEBBING. SPRING ACTION STEEL LOOP MUST ROTATE AROUND SUSPENDER BUTTON. TRIANGULAR BACK JUNCTION: 5.5 OZ/SQ. FT. VEGETABLE TANNED LEATHER AND ONE LAYER OF CHROMED, TANNED SPLIT LEATHER MFR:_____STK#_____ LION APPAREL, MODEL LSR7 OR GLOBE, MODEL 800307 OR EQUAL				
00016	COMMODITY CODE: 340-10-085260 SUSPENDERS, 2" WEB 100% POLYESTER,42-1/2 INCH LONG W/FOUR ELASTIC BACK STRAPS 10" LONG OF POLY BLEND & 22 GA. RUBBER STRANDS. NON-ELASTIC SHOULDER STRAPS WITH SLIDE ADJUSTERS. ALL METAL PARTS OF BRASS PLATED STEEL. NOMEX THREAD. BRASS PLATED STEEL BUTTONHOLE LOOPS SEWN TO 8 POINTS OF ATTACHMENT OF WEBBING. SPRING ACTION STEEL LOOP MUST ROTATE AROUND SUSPENDER BUTTON. TRIANGULAR BACK JUNCTION: 5.5 OZ/SQ. FT. VEGETABLE TANNED LEATHER AND ONE LAYER OF CHROMED, TANNED SPLIT LEATHER. 1" SCOTCHLITE TRIM LAMINATED ONTO EACH STRAP. SILVER TRIM USED ON RED SUSPENDERS, LIME-YELLOW TRIM ON BLACK SUSPENDERS. MFR_____STK#_____ LION APPAREL, MODEL LSR7SL OR EQUAL	1	SET	_____	_____
00017	COMMODITY CODE: 340-10-085261 BOOTS, KNEE SAFETY TOE YELLOW TRIM SZ: 5 THRU 16 NARROW, MEDIUM, AND WIDE WIDTHS PER SPECIFICATION 800D01. MFR_____MODEL_____ SERVUS, MODEL 1454, OR EQUAL	1	PR	_____	_____
00018	COMMODITY CODE: 340-10-085262 BOOTS, HIP SAFETY TOE YELLOW TRIM, SZ: 5 THRU 16 NARROW, MEDIUM, AND WIDE WIDTHS PER SPECIFICATION 800D01. MFR_____MODEL_____ RANGER, MODEL 5104 OR SERVUS, MODEL 11457 OR EQUAL	1	PR	_____	_____
00019	COMMODITY CODE: 340-10-085264 SHOES, SAFETY TOE, SOFT BLACK LEATHER UPPER W/WRAP-AROUND SOLE EDGES, HEEL CUSHIONING SYS., PADDED COMFORT COLLAR, LOW QUARTER-TOP, STEEL TOE. MEETS OR EXCEEDS ANS1 Z41 PT91, 175; C75 STEEL	1	PR	_____	_____

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	TOP STANDARDS, SZ: 5 THRU 13 D-EEE. MFR:_____STK:_____ RANGER, MODEL 6310, LACROSSE, MODEL 6551 NAFECO MODEL N502, OR EQUAL SIZE: APPROX. 7-1/2 - 13 D-EEE. SIZES PROVIDED TO SUCCESSFUL BIDDER.				
00020	COMMODITY CODE: 340-10-085265 HELMET, FIREMANS WITH 4" WRAP AROUND FACE SHIELD, CONSTRUCTED OF HEAT-RESIST- AND FIGERGLASS TO MEET OR EXCEED OSHA STANDARDS 1910-1971-1981 AND NFPA 1972; 1992 EDITION. CERTIFIED TO MEET OR EX- CEED BOTY ANSI Z87.1.1989 STANDARD FOR EYE PROTECTION AND NFPA STANDARD FOR STRUCTURAL FIRE HELMETS 1972; 2007 EDITION PER SPECIFICATION 200C10. MFR:_____MODEL_____ BULLARD, MODEL FIREDOME, LION MODEL LH3710A, OR EQUAL	1	EA	_____	_____
00021	COMMODITY CODE: 340-10-085268 GLOVES, FIREMAN, MODACRYLIC THERMAL LIN- ING WITH POLYURETHANE MOISTURE BARRIER HEAT/PRESSURE BONDED AND SEWN TO SHELL, GLOVE BACKS, THUMB, AND FINGER BACKS SHALL BE CONSTRUCTED OF ELKSKIN LEATHER TO PROVIDE LASTING SOFTNESS & DEXTERITY, GLOVE PALMS, PALM SIDE FINGERS, & GAUNT- LET CUFFS SHALL BE CONSTRUCTED OF DOUBLE CHROME TANNED COWHIDE LEATHER/GLOVE PALM SHALL BE FITTED WITH AN ANTI-SLASH STRIP OF LEATHER NO LESS THAN 2" WIDE AND ALSO INCORPORATED INTO THUMB AND SIDE SEAMS, AND SECURED TO PALM WITH NOT LESS THAN FOUR (4) ROWS OF KEVLAR THREAD LOCK- STITCHING, LEATHER GAUNTLET CUFF FOR USE WITH THUMBHOLE COAT KNITWRISTS, NFPA CERTIFIED 1971, 1997 EDITION, SZ: XS-XXL MFR_____MODEL_____ AMERICAN, MODEL 5950 OR EAUAL	1	PR	_____	_____
00022	COMMODITY CODE: 340-10-085269 GLOVES, FIREMAN, MODACRLYIC THERMAL LIN- ING WITH POLYURETHANE MOISTURE BARRIER HEAT/PRESSURE BONDED AND SEWN TO SHELL, GLOVE BACKS, THUMB, AND FINGER BACKS SHALL BE CONSTRUCTED OF ELKSKIN LEATHER TO PROVIDE LASTING SOFTNESS & DEXTERITY, GLOVE PALMS, PALM SIDE FINGERS, AND PULL TABS ON KNITWRIST SHALL BE DOUBLE CHROME TANNED COWHIDE LEATHER, GLOVE PALM SHALL BE FITTED WITH AN ANTI-SLASH STRIP OF LEATHER NOT LESS THAN 2" WIDE AND ALSO INCORPORATED INTO THUMB AND SIDE SEAMS AND SECURED TO PALM WITH NOT LESS THAN (4) ROWS OF KEVLAR THREAD LOCK-	1	EA	_____	_____

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	STITCHING, 4" NOMEX-SPANDEX KNITWRIST WITH LEATHER PULLTAB, NFPA CERTIFIED 1971, 1997 EDITION, SZ: XS-XXL. MFR_____MODEL_____ AMERICAN, MODEL 5900 OR EQUAL				
00023	COMMODITY CODE: 340-10-085270 BAG, GEAR WITH OUTSIDE ZIPPER POCKET, 10" NYLON ZIPPER, HEAVY CORDURA NYLON, 2" WEB HANDLE, MIN. SIZE: 13-1/2" X 13" X24". COLOR: RED WITH MALTESE CROSS MFR:_____MODEL_____ AMERICAN, MODEL B40RS OR EQUAL	1	EA	_____	_____
00024	COMMODITY CODE: 340-10-085271 HOOD, PROTECTIVE COMPATIBLE WITH ANY SELF CONTAINED BREATHING APPARATUS. CONSTRUCTED OF 100% NOMEX 8-8.5 OZ. SINGLE SEAM FLATLOCK CONSTRUCTION FOR HEAD AND BIB SECTIONS, HEAVY DUTY ELASTIC FACE WITH BARTACKED STRESS POINTS, NFPA CERTIFIED 1971, 1997 EDITION. MFR_____MODEL_____ AMERICAN, MODEL 300.0400F OR EQUAL	1	EA	_____	_____
00025	COMMODITY CODE: 340-10-085272 HOOD, PROTECTIVE COMPATIBLE WITH ANY SELF CONTAINED BREATHING APPARATUS. 20% PBI 80% LENZING BLEND CONSTRUCTION, SIINLE SEAM LFATLOCKED CONSTRUCTION FOR HEAD AND BIB SECTIONS, HOOD HAS HEAVY DUTY ELASTIC FACE WITH BARTACKED STRESS POINTS, NFPA CERTIFIED 1971, 1997 EDITION. MFR_____MODEL_____ AMERICAN, MODEL 300.0450F OR EQUAL	1	EA	_____	_____
00026	COMMODITY CODE: 340-36-085299 SPARE AIR BOTTLE, 30 MIN. SELF-CONTAINED BREATHING APPARATUS, ALUMINUM CYLINDER, CONTAINS 45 CU. FT. OF AIR, 2216 PSI. MUST MEET LATEST NFPA AND OSHA REQUIRE-MENTS, MUST BE INTERCHANGEABLE WITH MAJOR MFR EQUIPMENT. MFR:_____MODEL_____ SURVIVAIR, MODEL 916103 OR INTERSPIRO MODEL 336-890-006, OR MSA, MODEL 801279 OR DRAGER, MODEL 4054856 OR ISI, MODEL 024-035-00 OR MSA, MODEL 469619 OR EQL.	1	EA	_____	_____
00027	COMMODITY CODE: 340-36-085300	1	EA	_____	_____

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	SPARE AIR BOTTLE, 30 MIN. SELF-CONTAINED BREATHING APPARATUS-HALF COMPOSITE. CONTAINS 45 CU. FT. AIR, 4500 PSI, MUST MEET LATEST NFPA AND OSHA REQUIREMENTS, MUST BE INTERCHANGEABLE WITH MAJOR MFR. CURRENT EQUIPMENT. MFR_____MODEL_____ SURVIVAIR, MODEL 915165, OR INTERSPIRO, OR MSA, MODEL 801287, DRAGER, MODEL 9055700, OR ISI MODEL 024-098-00, OR EQUAL				
00028	COMMODITY CODE: 340-36-085301 SPARE AIR BOTTLE, 60 MIN. SELF-CONTAINED BREATHIN APPARATUS-HALF COMPOSITE, CONTAINS 90 CU. FT. AIR, 4500 PSI, MUST MEET LATEST NFPA AND OSHA REQUIREMENTS, MUST BE INTERCHANGABLE WITH MAJOR MFR. CURRENT EQUIPMENT. MFR_____MODEL_____ SURVIVAIR, MODEL 915182 OR INTERSPIRO MODEL 336-890-037 OR MSA, MODEL 807588 OR DRAGER, MODEL 4055699 OR ISI, MODEL 124-004, OR EQUAL	1	EA	_____	_____
00029	COMMODITY CODE: 340-36-085302 BREATHING APPARATUS, SELF CONTAINED (SCBA) W/AIR SUPPLY RATED FOR NO LESS THAN 30 MINUTES WHEN FILLED TO CAPACITY OF 45 CU. FT. AIR W/2216 PSI. BACK PAK STYLE WITH ALUMINUM CYLINDER, EQUIPPED W/500 PSI AUDIBLE ALARM. WEB TYPE HARNESS. NONRUSTING D-RING & SNAPS OR SAFETY BELT STYLE CLOSURES REPLACEABLE WITH OUT TOOL OR RIVETS. FACEPIECE DESIGNED TO ALLOW THE GREATEST FIELD OF VISION. MADE OF CLEAR SHATTER RESISTANT POLYCARBONATE OR EQUAL. FIVE STRAP HEAD ASSEMBLY MADE OF SILICONE RUBBER OR EQUAL TO ACCOMPLISH THE BEST POSSIBLE SEAL TO FACE. HAS ITS OWN SUITABLE CARRYING CASE. MEETS NFPA 1981 STANDARDS, 2007 EDITION. MFR:_____MODEL_____ SURVIVAIR PANTHER WARRIOR-07, OR INTERSPIRO, MODEL 608-321-420 OR MSA, MODEL 801376, EUM44002M0132 &801314, OR DRAGER, MODEL 4056600A, OR ISI, MODEL 707-150-00SC, OR SCOTT, MODEL AP-50S, OR EQUAL	1	EA	_____	_____
00030	COMMODITY CODE: 340-36-085303 BREATHING APPARATUS, SELF CONTAINED (SCBA) W/AIR SUPPLY RATED FOR NO LESS THAN 60 MINUTES WHEN FILLED TO CAPACITY OF 90 CU. FT. AIR W/4500 PSI. BACK PAK	1	EA	_____	_____

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	STYLE W/CYLINDERS OF HALF COMPOSITE MATERIAL. EQUIPPED W/500 PSI AUDIBLE ALARM. WEB TYPE HARNESS. NONRUSTING D-RING & SNAPS OR SAFETY BELT STYLE CLOSURES REPLACEABLE WITH OUT TOOL OR RIVETS. FACEPIECE DESIGNED TO ALLOW THE GREATEST FIELD OF VISION. MADE OF CLEAR SHATTER RESISTANT POLYCARBONATE OR EQUAL. FIVE STRAP HEAD ASSEMBLY MADE OF SILICONE RUBBER OR EQUAL TO ACCOMPLISH THE BEST POSSIBLE SEAL TO FACE. HAS ITS OWN SUITABLE CARRYING CASE. MEETS NFPA 1981 STANDARDS, 2007 EDITION. MFR:_____MODEL_____ SURVIVAIR PANTHER WARRIOR-07, OR MSA MODEL 801402 OR DRAGER, MODEL 4056600M INTERSPIRO, MODEL 607-321-422 OR ISI, MODEL VDX2, OR SURVIVAIR, MODEL 967000, OR MSA, MODEL ECM42002M0132, OR EQUAL				
00031	COMMODITY CODE: 340-41-056079 FOAM, AQUAS FILM FORMING (AFFF) 6% IN 5-GALLON PAILS. MUST MEET UL162 TYPE III LIST. MUST CARRY A MATERIAL SAFETY DATA SHEET. MFR._____ BRAND 3M OR ANGUS TRIDEX, OR BUCKEYE BFC-6, OR EQUAL	1	PA	_____	_____
00032	COMMODITY CODE: 340-40-085275 GENERATOR, PORTABLE LIGHTWEIGHT COMMERCIAL GRADE. 4,500 W MINIMUM OF 2 - 115 VOLT AND 1 - 230 V TWIST LOCK RECEPTABLES. 4 CYCLE B&S ENGINE OR EQUAL, MANUAL START, WITH SUITABLE CARRYING HANDLES. MFR:_____MODEL_____ WINCO, MODEL DL5000H, OR SML INDUSTRIES MODEL VOLTMASTER A50RC, OR SEDCO MODEL 30241, OR EQUAL	1	EA	_____	_____
00033	COMMODITY CODE: 340-40-085276 GENERATOR, PORTABLE LIGHTWEIGHT COMMERCIAL GRADE. 6,000 W MINIMUM OF 2 - 115 VOLT AND 1 - 230 V TWIST LOCK RECEPTABLES. 4 CYCLE B&S ENGINE OR EQUAL, ELEC. START, WITH SUITABLE CARRYING HANDLES. MFR:_____MODEL_____ SML INDUSTRIES, MODEL VOLTMASTER A50ERC OR WINCO, MODEL DL6000IE, OR SEDCO MODEL 30211, OR EQUAL	1	EA	_____	_____
00034	COMMODITY CODE: 340-36-056097	1	EA	_____	_____

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	FIRE PUMP, PORTABLE VEST TYPE 5-8 GAL. CAPACITY. CONSTRUCTED OF FLEXIBLE, FLAME RESISTANT VINYL WITH WELDED SEAMS. PUMP SHALL BE BRASS SLIDE ACTION. NOZZLE SHALL ADJUST FOR STREAM OR SPRAY WITHOUT THE USE OF SPECIAL TOOLS. VEST WILL HAVE ATTACHMENT FOR HOLDING PUMP. THE HOSE WILL BE OF A REINFORCED TYPE THAT WILL STAND UP UNDER NORMAL FIRE GROUND USE. THE HOSE SHALL BE AT LEAST 30 INCHES LONG. A FILTER OR SCREEN SHALL BE PROVIDED OF SUCH NATURE THAT IT WILL PREVENT CLOGGING OF THE NOZZLE. MFR:_____MODEL#_____ GEMTOR, MODEL AJ100 OR EQUAL				
00035	COMMODITY CODE: 340-36-056104 FIRE PUMP, PORTABLE BACK PACK 5 GAL S.S. TANK OF NON-RUSTING CONTRUCTION. PUMP SHALL BE OF BRASS SLIDE ACTION. NOZZLE SHALL ADJUST FOR STREAM OR SPRAY WITHOUT THE USE OF SPECIAL TOOLS. THE HOSE SHALL BE OF A REINFORCED TYPE THAT WILL STAND UP UNDER NORMAL FIRE GROUND USE. THE HOSE SHALL BE AT LEAST 30 INCHES LONG. A FILTER OR SCREEN SHALL BE PROVIDED OF SUCH NATURE THAT IT WILL PREVENT CLOGGING OF THE NOZZLE. THE FILTER CAP WILL BE ATTACHED TO THE TANK WITH A BEADED CHAIN. THE CARRYING STRAPS WILL BE HEAVY DUTY MATERIAL AND AT LEAST 1-3/4 INCHES WIDE. MFR:_____MODEL#_____ FIREHOOKS, MODEL 85700-RANGER OR EQUAL	1	EA	_____	_____
00036	COMMODITY CODE: 340-36-056106 FIRE PUMP, COLLAPSIBLE BACKPACK 5 GAL CAPACITY. TANK SHALL BE CONSTRUCTION OF NEOPRENE/NYLON FABRIC. PUMP SHALL BE OF BRASS SLIDE ACTION. NOZZLE SHALL ADJUST FOR STREAM OR SPRAY WITHOUT THE USE OF SPECIAL TOOLS. THE HOSE SHALL BE OF A REINFORCED TYPE THAT WILL STAND UP UNDER NORMAL FIRE GROUND USE. THE HOSE SHALL BE AT LEAST 30 INCHES LONG. A FILTER OR SCREEN SHALL BE PROVIDED OF SUCH NATURE THAT IT WILL PREVENT CLOGGING OF THE NOZZLE. THE BAG SHALL BE REINFORCED AT STRESS POINTS. MFR:_____MODEL#_____ INDIAN, MODEL 500FSV OR EQUAL	1	EA	_____	_____
00037	COMMODITY CODE: 340-36-085277 PUMP, PORTABLE COMBINATION, INTEGRAL WELDED STEEL TUBING FRAME WITH 2" MIN. NPT FEMALE SUCTION INLET AND 2" ISO FE-	1	EA	_____	_____

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	MALE DISCHARGE OUTLET, ALUMINUM BODY & VOLUTE, BRONZE IMPELLER, SS PUMP SHAFT, EXHAUST VENTURI PRIMING, MAX. 150 GPM, MAX. PRESSURE 280 PSI. MUST INCLUDE 18 HP AT 3600 RPM BRIGG & STRATTON V-TWIN OHV WITH FUEL CAP. 3 GALLONS. ELECTRIC START WITH RECOIL BACKUP. PUMP MUST INCLUDE: THROTTLE LEVER, PRIMING LEVER, MASER SWITCH, START PUSH-BUTTON, CHOKE CONTROL, LOW OIL PRESSURE WARNING DEVICE. SUCTION GAUGE (2-1/2"D GYLCERIN FILLED, 30" HG VAC TO 150 PSI). DISCHARGE GAUGE (2-1/2"D GYLCERIN FILLED, 0 TO 400 PSI).				
	MFR:_____MODEL_____ HALE, MODEL HP100X OR EQUAL				
00038	COMMODITY CODE: 340-36-085288 DROP TANK, COMPLETE WITH FRAME & LINER. NO LESS THAN 1000 GAL.	1	EA	_____	_____
	MFR:_____MODEL_____ FOL-DA-TANK, MODEL FDT-1000, C&R, MODEL 22-OZ-V-1000, OR HUSKY MODEL STE-1000, OR EQUAL				
00039	COMMODITY CODE: 340-36-085289 DROP TANK, COMLETE WITH FRAME & LINER. NO LESS THAN 1500 GAL.	1	EA	_____	_____
	MFR:_____MODEL_____ FLO-DA-TANK, MODEL FDT-1500, C&R, MODEL 22-OZ-V-1500, OR HUSKY MODEL STF-1500, OR EQUAL				
00040	COMMODITY CODE: 340-36-085290 DROP TANK, COMPLETE WITH FRAME & LINER. NO LESS THAN 2100 GAL.	1	EA	_____	_____
	MFR:_____MODEL_____ FOL-DA-TANK, MODEL FDT-2100 OR C & R 18 OZ-V-2100, OR HUSKY MODEL STF-2100, OR EQUAL				
00041	COMMODITY CODE: 340-36-085291 BLADDER TANK, PORTABLE, FRAMELESS, 1500 US GALLONS WHEN FULL. 30 OZ. SAFETY ORANGE VINYL WITH 1-1/4 R.F. WELDED SEAMS, ONE THREADED 2-1/2" NST MALE HOSE CONNECTION FOR BOTTOM DRAFTING, TWO (2) DRAIN FLANGES IN TANK FOR DRAINING. COM-PACT STORAGE BAG INCLUDED.	1	EA	_____	_____
	MFR:_____MODEL_____ FOL-DA-TANK, MODEL SSTFD-1500 OR HUSKY MODEL LS-1500, OR QUAL				

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
00042	COMMODITY CODE: 340-36-085292 BLADDER TANK, PORTABLE, FRAMELESS, 2000 US GALLONS WHEN FULL. 30 OZ. SAFETY ORANGE VINYL WITH 1-1/4 R.F. WELDED SEAMS, ONE THREADED 2-1/2" NST MALE HOSE CONNECTION FOR BOTTOM DRAFTING, TWO (2) DRAIN FLANGES IN TANK FOR DRAINING. COM-PACT STORAGE BAG INCLUDED. MFR:_____MODEL_____ FOL-DA-TANK, MODEL SSTFD-2000 OR HUSKY MODEL LS-2000, OR EQUAL	1	EA	_____	_____
00043	COMMODITY CODE: 340-36-085293 STRAINER, LOW FLOW DROP TANK. 2-1/2" VALVE. MAXIMUM PUMPING CAPACITY DOWN TO A WATER LEVEL OF 1-1/2" WITH NO SUCTION LOSS. MFR:_____MODEL_____ KOCHECK, MODEL LF25 OR EQUAL	1	EA	_____	_____
00044	COMMODITY CODE: 340-36-085294 STRAINER, LOW FLOW DROP TANK 3"VALVE MAXIMUM PUMPING CAPACITY DOWN TO A WATER LEVEL OF 1-1/2" WITH NO SUCTION LOSS. MFR:_____MODEL_____ KOCHECK, MODEL LF30 OR EQUAL	1	EA	_____	_____
00045	COMMODITY CODE: 340-36-085295 STRAINER, LOW FLOW FOR DROP TANK 4"VALVE MAXIMUM PUMPING CAPACITY DOWN TO A WATER LEVEL OF 1-1/2" WITH NO SUCTION LOSS. MFR:_____MODEL_____ KOCHECK, MODEL LF40 OR EQUAL	1	EA	_____	_____
00046	COMMODITY CODE: 340-36-085296 STRAINER, LOW FLOW FOR DROP TANK 4-1/2" VALVE. MAXIMUM PUMPING CAPACITY DOWN TO A WATER LEVEL OF 1-1/2" WITH NO SUCTION LOSS. MFR:_____MODEL_____ KOCHECK, MODEL LF45 OR EQUAL	1	EA	_____	_____
00047	COMMODITY CODE: 340-36-085297 STRAINER, LOW FLOW FOR DROP TANK 5"VALVE MAXIMUM PUMPING CAPACITY DOWN TO A WATER LEVEL OF 1-1/2" WITH NO SUCTION LOSS. MFR:_____MODEL_____ KOCHECK, MODEL LF50 OR EQUAL	1	EA	_____	_____
00048	COMMODITY CODE: 340-36-085298 STRAINER, LOW FLOW FOR DROP TANK 6"VALVE MAXIMUM PUMPING CAPACITY DOWN TO A WATER LEVEL OF 1-1/2" WITH NO SUCTION LOSS.	1	EA	_____	_____

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	MFR:_____MODEL_____ KOCHECK, MODEL LF60 OR EQUAL				
00049	COMMODITY CODE: 340-64-056165 FOAM IN-LINE EDUCTOR, CAST BRASS. MFR:_____STK#_____ AKRON 3095 OR TFT MODEL UE-095-NF, OR EQUAL	1	EA	_____	_____
00050	COMMODITY CODE: 340-64-056144 FOAM IN-LINE EDUCTOR, CAST BRASS. MFR:_____STK#_____ ELKHART #241-95 OR EQUAL.	1	EA	_____	_____
00051	COMMODITY CODE: 340-88-073414 VALVE, WATER DUMP 10" HYDRAULIC CONTROL OPERATIONS. DESIGNED FOR QUICK OPENING AND MAXIMUM FLOW. VALVE MAY BE SQUARE FLANGE OR BUTTERFLY. MFR:_____STK#_____ STOCK, MODEL 1070A OR EQUAL	1	EA	_____	_____
00052	COMMODITY CODE: 340-88-073415 VALVE, WATER DUMP 10" MANUAL CONTROL OPERATIONS. DESIGNED FOR QUICK OPENING AND MAXIMUM FLOW. VALVE MAY BE SQUARE FLANGE OR BUTTERFLY. MFR:_____STK#_____ STOCK, MODEL 1050 OR EQUAL	1	EA	_____	_____
00053	COMMODITY CODE: 340-88-073416 VALVE, WATER DUMP 10" ELECTRICAL CONTROL OPERATIONS. DESIGNED FOR QUICK OPENING AND MAXIMUM FLOW. VALVE MAY BE SQUARE FLANGE OR BUTTERFLY. MFR:_____STK#_____ STOCK, MODEL 1070 OR EQUAL	1	EA	_____	_____
00054	COMMODITY CODE: 340-88-073418 VALVE, WATER DUMP 12" MANUAL CONTROL OPERATIONS. DESIGNED FOR QUICK OPENING AND MAXIMUM FLOW. VALVE MAY BE SQUARE FLANGE OR BUTTERFLY. MFR:_____STK#_____ STOCK, MODEL 1212 OR EQUAL	1	EA	_____	_____
00055	COMMODITY CODE: 340-88-056136 VALVE, HYDRANT GATE 2-1/2 X 2-1/2 WITH	1	EA	_____	_____

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	BALL SHUT-OFF. MFR:_____STK#_____ ELKHART, MODEL B96A, HARRINGTON, MODEL BV25HN, OR EQUAL				
00056	COMMODITY CODE: 340-14-081447 VENTILATOR, POSITIVE PRESSURE HIGH PERFORMANCE HONDA FOUR-CYCLE ENGINE ONLY (NO GAS/OIL MIX). "ON-OFF" SWITCH, FUEL SHUT OFF, LEVER TYPE ADJUSTABLE THROTTLE ELECTRIC IGNITION WITH "COMPRESSION RELEASE", "LOW OIL ALERT" SENSOR REQUIR-ED. AIR FLOW NOT LESS THAN 9,000 CFMS. BLADES ENCASED WITH RUGGED SHROUD AND GRILL DESIGNED SO CLOTHING, HANDS ETC. WILL NOT REACH BLADES & ALLOW FOR MAX. AIR FLOW. MFR:_____STK#_____ SUPER VAC, MODEL 720G4H OR VENTRY, MODEL GX120, OR HURRICAN, MODEL HM-20-5.5 OR OR EQUAL	1	EA	_____	_____
00057	COMMODITY CODE: 340-56-019822 HOSE, FIRE 100' STANDPIPE 1-1/2" POLYESTER, SINGLE JACKET RUBBER LINED PER SPECIFICATIONS PROVIDED AT PRE BID. MFR_____MODEL_____ IMPERIAL, MODEL 70S315100 OR EQUAL	1	EA	_____	_____
00058	COMMODITY CODE: 340-56-056127 HOSE, BOOSTER 1" 100' WITH COUPLINGS. SHALL BE MADE OF ABRASION, OZONE AND WEATHER RESISTANT SYNTHETIC RUBBER WITH SMOOTH OUTER COVERING WITH COUPLINGS ATTACHED TO EACH END. RED IN COLOR. PRESSURE TEST SHALL INDICATE A WORKING PRESSURE OF NOT LESS THAN 800 P.S.I. WEIGHT OF HOSE PER 100 FT. OF 1" SHALL NOT EXCEED 60 POUNDS. COUPLINGS SHALL BE LIGHT WEIGHT HARD COAT ALUMINUM. FULL FLOW DESIGN SHALL BE NONCOLLAPSIBLE MFR_____MODEL_____ FIRE QUIP, MODEL 800 PSI OR EQUAL	1	EA	_____	_____
00059	COMMODITY CODE: 340-64-056128 NOZZLE, FIRE HOSE 1" AKRON PER SPECIFICATION #340D03 MFR:_____STK#_____ AKRON, MODEL 1701 OR ELKHART, MODEL SFS OR EQUAL	1	EA	_____	_____

PAGE TOTAL _____

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -

INVITATION TO BID

ITB NO. : 09-X-2206810

OPEN DATE : 08/20/09 TIME: 10:00 AM

T-NUMBER : T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
00060	COMMODITY CODE: 340-64-056129 NOZZLE, FIRE HOSE 1-1/2" AKRON PER SPECIFICATION #340D03 MFR:_____STK#_____ AKRON, MODEL 1715 OR ELKHART, MODEL SFL OR TFT MODEL FQS125S, OR EQUAL	1	EA	_____	_____
00061	COMMODITY CODE: 340-64-056130 NOZZLE, FIRE HOSE 1-3/4" MULTI-GALLON NOT AUTOMATIC. MFR:_____STK#_____ AKRON, MODEL 1722P OR ELKHART, MODEL SFM OR EQUAL	1	EA	_____	_____
00062	COMMODITY CODE: 340-64-056131 NOZZLE, FIRE HOSE 2-1/2" AKRON PER SPECIFICATION #340D03 MFR:_____STK#_____ AKRON, MODEL 1725 OR ELKHART, MODEL DSF OR TFT MODEL JTS250S, OR EQUAL	1	EA	_____	_____
00063	COMMODITY CODE: 340-40-056108 FLAP, FIRE 12"W X 15"L FABRIC REINFORCED RUBBER FLAP. 5 FT. HEAVY DUTY HANDLE. MFR:_____STK#_____ COUNCIL, MODEL FS15 OR GFE MODEL FB-15, OR EQUAL	1	EA	_____	_____
00064	COMMODITY CODE: 340-40-056109 RAKE, FIRE W/5 FT. HANDLE MFR:_____MODEL#_____ COUNCIL, MODEL LW12-60 OR GFE MODEL FR-12, OR EQUAL	1	EA	_____	_____
00065	COMMODITY CODE: 340-40-085278 CROWBAR, 36 INCH FORGED STEEL USED IN FIRE FIGHTING MFR:_____MODEL_____ COUNCIL, MODEL 60PP OR GFE MODEL PPB-36, OR EQUAL	1	EA	_____	_____
00066	COMMODITY CODE: 340-40-085279 LADDER, ALUMINUM ROOF W/HOOKS 12' 2", MFR_____MODEL_____ ALCOLITE, MODEL PRL-12 OR EQUAL	1	EA	_____	_____
00067	COMMODITY CODE: 340-40-085280 LADDER, ALUMINUM ROOF W/HOOKS 14'	1	EA	_____	_____

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	MFR:_____MODEL_____ ALCOLITE, MODEL PRL-14 OR EQUAL				
00068	COMMODITY CODE: 340-40-085281 LADDER, ALUMINUM FOLDING 10' FOLDED LENGTH 11', FOLDED WIDTH 2-1/4", WIDTH OPEN 12-1/2", THICKNESS 1-1/2", WEIGHT 14 LBS.	1	EA	_____	_____
	MFR_____MODEL_____ ALCOLITE, MODEL FL-10 OR EQUAL				
00069	COMMODITY CODE: 340-40-056147 AXE, PICK-HEAD W/WOODEN HANDLE 6 LB.	1	EA	_____	_____
	MFR:_____STK#_____ COUNCIL, MODEL 60P OR GFE, MODEL WP-6 OR EQUAL				
00070	COMMODITY CODE: 340-40-081461 AXE, PICK-HEAD, FIBERGLASS HANDLE 6 LB.	1	EA	_____	_____
	MFR:_____STK#_____ COUNCIL, MODEL C60P OR GFE, MODEL PHY OR EQUAL				
00071	COMMODITY CODE: 340-40-056148 AXE, FLAT-HEAD W/WOODEN HANDLE 6 LB.	1	EA	_____	_____
	MFR:_____STK#_____ COUNCIL, MODEL 60F OR GFE, MODEL WF-6 OR EQUAL				
00072	COMMODITY CODE: 340-40-081462 AXE, FLAT-HEAD, FIGERGLASS HANDLE 6 LB.	1	EA	_____	_____
	MFR:_____STK#_____ COUNCIL, MODEL C60F OR GFE, MODEL FHR-6 OR EQUAL				
00073	COMMODITY CODE: 340-40-056149 POLE, PIKE 6'	1	EA	_____	_____
	MFR:_____STK#_____ FIRE HOOKS, MODEL FHLW6 OR EQUAL				
00074	COMMODITY CODE: 340-40-081463 POLE, PIKE 6' W/FIGERGLASS HANDLE	1	EA	_____	_____
	MFR:_____STK#_____ NUPLA, MODEL YPD-6 OR GFE, MODEL PP-6 OR EQUAL				
00075	COMMODITY CODE: 340-40-056150 POLE, PIKE 8'	1	EA	_____	_____
	MFR:_____STK#_____ FIRE HOOKS, MODEL LW8 OR EQUAL				

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
00076	COMMODITY CODE: 340-40-081464 POLE, PIKE 8' W/FIGERGLASS HANDLE MFR:_____STK#_____ NUPLA, MODEL YPD-8, OR GFE, MODEL PP-8 OR EQUAL	1	EA	_____	_____
00077	COMMODITY CODE: 340-40-056151 CUTTER, BOLT 36" UNBREAKABLE FORGED STEEL. MFR:_____STK#_____ FIRE HOOKS, MODEL BC-36 OR EQUAL	1	EA	_____	_____
00078	COMMODITY CODE: 340-14-056138 SMOKE EJECTOR, 16" MFR:_____STK#_____ RAMFAN, MODEL EFC-50, FANTRAXX MODEL V16-1, OR SUPER VAC, MODEL P164S OR EQL	1	EA	_____	_____
00079	COMMODITY CODE: 340-12-056139 WYE, GATED 2-1/2" X 1-1/2" X 1-1/2" LIGHTWEIGHT NST THREADS, BALL SHUTOFF. MFR:_____STK#_____ ELKHART, MODEL B100A, TFT MODEL AYNJ-NF, OR EQUAL	1	EA	_____	_____
00080	COMMODITY CODE: 340-56-019820 HOSE, 50' STANDPIPE 1-1/2" POLYESTER SINGLE JACKET, RUBBER LINED. PER ATTACHED SPECIFICATIONS. MFR_____MODEL_____ IMPERIAL, MODEL 70S61550 OR EQUAL	1	EA	_____	_____
00081	COMMODITY CODE: 340-56-019821 HOSE, 75' STANDPIPE 1-1/2" POLYESTER SINGLE JACKET, RUBBER LINED. PER ATTACHED SPECIFICATIONS. MFR_____MODEL_____ IMPERIAL, MODEL 70S61575 OR EQUAL	1	EA	_____	_____
00082	COMMODITY CODE: 340-56-056121 HOSE FIRE, INTERIOR PROTECTION 1-1/2"X 50' NST BRASS ROCKER LUG COUPLINGS. 100% SYNTHETIC SINGLE JACKET LINED. MFR:_____STK#_____ IMPERIAL, MODEL 70RR1550 OR EQUAL	1	EA	_____	_____

PAGE TOTAL _____

PRICE SHEET

INVITATION TO BID

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 09-X-2206810
OPEN DATE : 08/20/09 TIME: 10:00 AM
T-NUMBER : T235
RETURN DATE: 08/19/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
00083	COMMODITY CODE: 340-56-019921 HOSE, FIRE 1-1/2" 50' WITH COUPLINGS. PER SPEC 340D01 MFR:_____STK#_____ IMPERIAL, MODEL 70D81150 OR EQUAL	1	EA	_____	_____
00084	COMMODITY CODE: 340-56-056122 HOSE FIRE, 1-3/4" 50' WITH COUPLINGS. PER SPEC 340D01. MFR:_____STK#_____ IMPERIAL, MODEL 70D817550 OR EQUAL	1	EA	_____	_____
00085	COMMODITY CODE: 340-56-019927 HOSE, FIRE 2-1/2" 50' WITH COUPLINGS. PER SPEC #340D01 MFR:_____STK#_____ IMPERIAL, MODEL 70D82550 OR EQUAL	1	EA	_____	_____
00086	COMMODITY CODE: 340-56-019930 HOSE, FIRE 3" 50' W/COUPLINGS PER SPECIFICATION #340D01 MFR:_____STK#_____ IMPERIAL, MODEL 70D83050 OR EQUAL	1	EA	_____	_____
00087	COMMODITY CODE: 340-56-056123 HOSE, FIRE 4" 100' WITH COUPLING,EXPAN- SION TYPE COUPLINGS. PER SPECIFICATIONS #340D02 MFR:_____MODEL#_____ ANGUS, MODEL HV4100NST OR EQUAL	1	EA	_____	_____
00088	COMMODITY CODE: 340-56-056124 HOSE, FIRE 4" 100' LENGTH WITH 1/2 TURN QUICK CONNECT. PER SPEC #340D02 MFR:_____MODEL#_____ ANGUS, MODEL HV4100STZ OR EQUAL	1	EA	_____	_____
00089	COMMODITY CODE: 340-56-056125 HOSE, FIRE 5" 100' WITH COUPLING, EXPAN- SION TYPE COUPLINGS. PER SPECIFICATIONS #340D02 MFR:_____MODEL#_____ ANGUS, MODEL HV5100NST OR EQUAL	1	EA	_____	_____
00090	COMMODITY CODE: 340-56-056126 HOSE, FIRE 5" 100' LENGTH WITH 1/2 TURN	1	EA	_____	_____

PAGE TOTAL _____

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	QUICK CONNECT. PER SPEC #340D02 MFR:_____MODEL#_____ ANGUS, MODEL HV5100STZ OR EQUAL ********** DETAILED SPECIFICATIONS FOR ABOVE HOSE WILL BE PROVIDED AT MANDATORY PRE-BID CONFERENCE. **********				
00091	COMMODITY CODE: 340-64-056135 NOZZLE, FIRE HOSE FOG BRASS-ADJUSTABLE 1-1/2" 60 GPM. MFR:_____STK#_____ ELKHART, MODEL L-206-T OR EQUAL	1	EA	_____	_____
00092	COMMODITY CODE: 340-40-085282 LADDER, ALUMINUM EXTENSION 24-25' MFR_____MODEL_____ ALCOLITE, MODEL PEL-24 OR EQUAL	1	EA	_____	_____
00093	COMMODITY CODE: 340-40-081455 HANDLIGHT, FIREFIGHTER THERMOPLASTIC BODY SEALED FOR MOISTURE CONTROL, 12V VEHICLE MOUNTABLE HARD-WIRE RACK CHARGING UNIT & CARRYING STRAP. 10AH 6V LEAD ACID BATTERY, 25,000 BCP LAMP, MAX. 7LB. CHARGER MUST BE DESIGNED IF POWER IS APPLIED IN REVERSE, LIGHT WILL NOT BE DAMAGED. INDICATES WHEN CHARGING AND WHEN FULLY CHARGED. MFR:_____STK#_____ STREAMLIGHT, MODEL SL-45107 OR EQUAL	1	EA	_____	_____
00094	COMMODITY CODE: 340-10-085273 HELMET, FIREMANS WITH 6" WRAP AROUND FACE SHIELD, CONSTRUCTED OF HEAT-RESIST- AND FIGERGLASS TO MEET OR EXCEED OSHA STANDARDS 1910-1971-1981 AND NFPA 1972; 1992 EDITION. CERTIFIED TO MEET OR EXCEED BOTY ANSI Z87.1.1989 STANDARD FOR EYE PROTECTION AND NFPA STANDARD FOR STRUCTURAL FIRE HELMETS 1972; 2007 EDITION PER SPECIFICATION 200C10. MFR:_____MDL#_____ CAIRNS, MODEL 664 OR BULLARD, MODEL FIREDOME OR EQUAL	1	EA	_____	_____
00095	COMMODITY CODE: 340-36-085304 SKID UNIT W/200 GAL TANK, 150 GPM PUMP WITH CONTROL PANELS AND VALVES.	1	EA	_____	_____

PAGE TOTAL _____

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -

INVITATION TO BID

ITB NO. : 09-X-2206810

OPEN DATE : 08/20/09 TIME: 10:00 AM

T-NUMBER : T235

RETURN DATE: 08/19/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT

WILL BE PROVIDED AT THE PRE-BID.

MFR_____MODEL_____
TUPELO MODEL, AL-SKID OR EQUAL

PAGE TOTAL _____

BID TOTAL _____

INVITATION TO BID NO: 2206810 ADDENDUM NO: 02

STATE OF ALABAMA

DEPTARTMENT OF FINANCE
DIVISION OF PURCHASING

INVITATION TO BID ADDENDUM

FOR: FIRE FIGHTING EQUIP. & CLOTHING

REQ. AGENCY	: 999999 PURCHASING DIVISION
AGENCY REQ. NO.	:
T-NUMBER	: T235
DATE ISSUED	: 08/14/09
VENDOR NO.	:
VENDOR PHONE NO.	:
SNAP REQ. NO.	: 1417537
BUYER NAME	: JENNIFER LORETZ
BUYER PHONE NO.	: (334) 242-7370

BID MUST BE RECEIVED BEFORE:
DATE: 08/19/09 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED:
DATE: 08/20/09 TIME: 10:00 AM

PLEASE READ ALL INSTRUCTIONS CAREFULLY

THE FOLLOWING CHANGES ARE HEREBY ADDED TO AND MADE A PART OF
(INVITATION TO BID NUMBER 2206810)

THE PURPOSE OF THIS ADDENDUM IS AS FOLLOWS:

RESCIND THE CHANGES TO LINES 00026, 00027 AND 00028. RESPIRATOR ASSEMBLIES MUST BE NIOSH CERTIFIED. THEREFORE, THE SPAIR AIR TANKS DO INCLUDE VALVE ASSEMBLIES.

* * * * * * * * * * * * * * * * END OF ADDENDUM * * * * * * * * * * * * * * * *

STATEMENT OF UNDERSTANDING

I UNDERSTAND THE ADDENDUM AND THAT IT MUST BE SIGNED IN INK AND RETURNED (UNLESS INDICATED OTHERWISE) WITH THE BID OR SEPARATELY, PROPERLY IDENTIFIED AND RECEIVED PRIOR TO DATE AND TIME SPECIFIED.

ADDENDUM NOTARIZATION NOT REQUIRED

COMPANY NAME	AUTHORIZED SIGNATURE (INK)
MAIL ADDRESS	TYPE/PRINT AUTHORIZED NAME
CITY, STATE, ZIP	
PHONE INCLUDING AREA CODE	

INVITATION TO BID NO: 2206810 ADDENDUM NO: 01

STATE OF ALABAMA

DEPTARTMENT OF FINANCE
DIVISION OF PURCHASING

INVITATION TO BID ADDENDUM

FOR: FIRE FIGHTING EQUIP. & CLOTHING

REQ. AGENCY	: 999999 PURCHASING DIVISION
AGENCY REQ. NO.	:
T-NUMBER	: T235
DATE ISSUED	: 08/13/09
VENDOR NO.	:
VENDOR PHONE NO.	:
SNAP REQ. NO.	: 1417537
BUYER NAME	: JENNIFER LORETZ
BUYER PHONE NO.	: (334) 242-7370

BID MUST BE RECEIVED BEFORE:
DATE: 08/19/09 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED:
DATE: 08/20/09 TIME: 10:00 AM

PLEASE READ ALL INSTRUCTIONS CAREFULLY

THE FOLLOWING CHANGES ARE HEREBY ADDED TO AND MADE A PART OF
(INVITATION TO BID NUMBER 2206810)

THE PURPOSE OF THIS ADDENDUM IS TO PROVIDE CLARIFICATION:

LINES 00026, 00027 AND 00028 DO NOT INCLUDE VALVES. EACH LINE IS FOR THE SPARE AIR TANK ONLY.

THE TTP VALUE OF 40 FOR FIREFIGHTER CLOTHING WILL REMAIN THE SAME.

ON PAGE 3 AND PAGE 6 OF THE SPECIFICATIONS, THE REFERENCE TO WARRANTY MEANS THAT THE MANUFACTURER'S WARRANTY INFORMATION MUST BE INCLUDED WITH THE BID SUBMITTED IN THE DESCRIPTIVE LITERATURE.

THE BID RETURN AND BID OPEN DATES REMAIN THE SAME.

* * * * * * * * * * * * * * * * END OF ADDENDUM * * * * * * * * * * * * * * * *

STATEMENT OF UNDERSTANDING

I UNDERSTAND THE ADDENDUM AND THAT IT MUST BE SIGNED IN INK AND RETURNED (UNLESS INDICATED OTHERWISE) WITH THE BID OR SEPARATELY, PROPERLY IDENTIFIED AND RECEIVED PRIOR TO DATE AND TIME SPECIFIED.

ADDENDUM NOTARIZATION NOT REQUIRED

COMPANY NAME	AUTHORIZED SIGNATURE (INK)
MAIL ADDRESS	TYPE/PRINT AUTHORIZED NAME
CITY, STATE, ZIP	
PHONE INCLUDING AREA CODE	