INVITATION TO BID NO: 10-X-2213577

STATE OF ALABAMA

DEPTARTMENT OF FINANCE
DIVISION OF PURCHASING

INVITATION TO BID

REQ. AGENCY	: 005000 DEPARTMENT OF CORRECTIONS
AGENCY REQ. NO.	: BTRN
T-NUMBER	: TA759
DATE ISSUED	: 10/28/09
VENDOR NO.	:
VENDOR PHONE NO.	:
SNAP REQ. NO.	: 1430308
BUYER NAME	: JENNIFER LORETZ
BUYER PHONE NO.	: (334) 242-7370-
PURCHASING PHONE NO	: (334) 242-7250

FOR: SABRE RED SPRAY/CHEMICAL

BID MUST BE RECEIVED BEFORE:
DATE: 11/16/09 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED:
DATE: 11/17/09 TIME: 10:00 AM

TO BE COMPLETED BY VENDOR

INFORMATION IN THIS SECTION SHOULD BE PROVIDED, AS APPROPRIATE. BID RESPONSE MUST BE IN INK OR TYPED WITH ORIGINAL SIGNATURE AND NOTARIZATION.

1. DELIVERY: CAN BE MADE _____ DAYS OR _____ WEEKS AFTER RECEIPT OF ORDER

2. TERMS: _____(DISCOUNTS ARE TAKEN WITHOUT REGARD TO DATE OF PAYMENT.)

3. PRICE VALID FOR ACCEPTANCE WITHIN _____ DAYS.

4. VENDOR QUOTATION REFERENCE NUMBER, IF ANY: _____
(THIS NUMBER WILL APPEAR ON THE PURCHASE ORDER.)

5. E-MAIL ADDRESS: _____

INTERNET WEBSITE: _____

6. GENERAL CONTRACTOR'S LICENSE NO: _____

TYPE OF G.C. LICENSE: _____

***** IMPORTANT NOTE: *****
BIDDERS MUST COMPLY WITH ALL "BID RESPONSE INSTRUCTIONS" ON PAGE 2, TO INCLUDE ITEM 7 - COPY REQUIREMENT.

RETURN INVITATION TO BID:

US MAIL	COURIER
STATE OF ALABAMA DEPARTMENT OF FINANCE DIVISION OF PURCHASING P O BOX 302620 MONTGOMERY, AL 36130-2620	STATE OF ALABAMA DIVISION OF PURCHASING RSA UNION BUILDING 100 N. UNION ST., SUITE 192 MONTGOMERY, AL 36104

SIGNATURE AND NOTARIZATION REQUIRED

I HAVE READ THE ENTIRE BID AND AGREE TO FURNISH EACH ITEM OFFERED AT THE PRICE QUOTED. I HERBY AFFIRM I HAVE NOT BEEN IN ANY AGREEMENT OR COLLUSION AMONG BIDDERS IN RESTRAINT OF FREEDOM OF COMPETITION BY AGREEMENT TO BID AT A FIXED PRICE OR TO REFRAIN FROM BIDDING.

SWORN TO AND

SUBSCRIBED BEFORE ME THIS

_____ DAY OF _____

_____
NOTARY PUBLIC

TERM EXP: _____

_____ FEIN OR SSN	_____ AUTHORIZED SIGNATURE (INK)
_____ COMPANY NAME	_____ TYPE/PRINT AUTHORIZED NAME
_____ MAIL ADDRESS	_____ TITLE
_____ CITY, STATE, ZIP	_____ TOLL FREE NUMBER
_____ PHONE INCLUDING AREA CODE	_____ FAX NUMBER

STANDARD TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2213577 PAGE 2
INVITATION TO BID
OPEN DATE : 11/17/09 TIME: 10:00 AM
T-NUMBER : TA759
RETURN DATE: 11/16/09 TIME: 5:00 PM

AUTHORITY:
THE DEPARTMENT OF FINANCE CODE OF ADMINISTRATIVE PROCEDURE, CHAPTER 355-4-1 EFFECTIVE DECEMBER 20, 2001 IS INCORPORATED BY REFERENCE AND MADE A PART OF T HIS DOCUMENT. TO RECEIVE A COPY CALL (334)242-7250, OR OUR WEBSITE WWW.PURCHASING.ALABAMA.GOV .

INFORMATION AND ASSISTANCE TO MINORITY BUSINESSES IN THE TECHNICAL COMPLETION OF REQUIRED FORMS MAY BE OBTAINED FROM THE OFFICE OF MINORITY BUSINESS ENTERPRISE, 1-800-447-4191.

BID (ITB) RESPONSE INSTRUCTIONS REV: 09/18/09

1. TO SUBMIT A RESPONSIVE BID, READ THESE INSTRUCTIONS, ALL TERMS, CONDITIONS AND SPECIFICATIONS.

2. BID ENVELOPES/PACKAGES/BOXES MUST BE IDENTIFIED ON FRONT, PREFERABLY LOWER LEFT CORNER AND BE VISIBLE WITH THE BID NUMBER AND OPENING DATE. EACH INDIVIDUAL BID (IDENTIFIED BY A UNIQUE BID NUMBER) MUST BE SUBMITTED IN A SEPARATE ENVELOPE. RESPONSES TO MULTIPLE BID NUMBERS SUBMITTED IN THE SAME ENVELOPE/COURIER PACKAGE, THAT ARE NOT IN SEPARATE ENVELOPES PROPERLY IDENTIFIED, WILL BE REJECTED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR LATE BIDS FOR ANY REASON INCLUDING THOSE DUE TO POSTAL, OR COURIER SERVICE. BID RESPONSES MUST BE IN THE DIVISION OF PURCHASING OFFICE PRIOR TO THE "RECEIVE DATE AND TIME" INDICATED ON THE BID.

3. BID RESPONSES (PAGE 1, PRICE SHEET AND ADDENDUMS (WHEN SIGNATURE IS REQUIRED)) MUST BE IN INK OR TYPED ON THIS DOCUMENT. OR EXACT FORMAT WITH SIGNATURES BEING HANDWRITTEN ORIGINALS IN INK (PERSON SIGNING BID, NOTARY, AND NOTARY EXPIRATION), OR THE BID WILL BE REJECTED. UNLESS INDICATED IN THE BID, ALL PRICE PAGES MUST BE COMPLETED AND RETURNED. IF AN ITEM IS NOT BEING BID, IDENTIFY IT AS NB (NO-BID). PAGES SHOULD BE SECURED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR MISSING PAGES. FAXED BID RESPONSES WILL NOT BE ACCEPTED.

4. THE UNIT PRICE ALWAYS GOVERNS REGARDLESS OF THE EXTENDED AMOUNT. A UNIT PRICE CHANGE ON A LINE MUST BE INITIALED BY THE PERSON SIGNING THE BID, OR THAT LINE WILL BE REJECTED. THIS INCLUDES A CROSS-OUT, STRIKE-OVER, INK-OVER, WHITE-OUT, ERASURE, OR ANY OTHER METHOD CHANGING THE PRICE.

5. A "NO BID" MUST BE RETURNED TO REMAIN ON A CLASS/SUBCLASS. RETURN PAGE 1 OR NOTIFICATION PAGE MARKED "NO-BID". IDENTIFY IT ON THE ENVELOPE AS A "NO-BID". FAILING TO RESPOND TO 3 ITB'S WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. RESPONDING WITH 6 "NO-BIDS" WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. A "NO-BID" RECEIVED LATE IS CONSIDERED A NO RESPONSE.

6. THE DIVISION OF PURCHASING IS NOT RESPONSIBLE FOR MISINTERPRETATION OF DATA FAXED FROM THIS OFFICE.

7. THE DIVISION OF PURCHASING REQUIRES AN ORIGINAL AND A MINIMUM OF ONE COMPLETE EXACT COPY (TO INCLUDE SIGNATURE AND NOTARY) OF THE INVITATION-TO-BID RESPONSE. THE ORIGINAL AND THE COPY SHOULD BE SUBMITTED TOGETHER AS A BID PACKAGE. FAILURE TO MARK RESPONSES AS "ORIGINAL" AND/OR "COPY" COULD RESULT IN THE ENTIRE BID RESPONSE BEING REJECTED.

8. AN IMPROPERLY SUBMITTED BID, LATE BID, OR BID THAT IS CANCELLED ON OR BEFORE THE OPENING DATE WILL BE HELD FOR 90 DAYS AND THEN DESTROYED. THE BID MUST BE RETRIEVED DURING REGULAR WORK HOURS, MONDAY - FRIDAY, EXCEPT STATE HOLIDAYS. AFTER THE BID IS DESTROYED, THE DIVISION OF PURCHASING ASSUMES NO RESPONSIBILITY FOR THE DOCUMENT.

DISQUALIFIED/CANCELLED BID

BIDS THAT ARE IMPROPERLY SUBMITTED OR RECEIVED LATE WILL BE A RESPONSE FOR RECORD, BUT WILL NOT BE RETURNED OR A NOTIFICATION MAILED.

THE FOLLOWING IS A PARTIAL LIST WHEREBY A BID RESPONSE WILL BE DISQUALIFIED:

BID NUMBER NOT ON FACE OF ENVELOPE/COURIER PACKAGE/BOX
RESPONSES TO MULTIPLE BID NUMBERS IN SAME ENVELOPE NOT PROPERLY IDENTIFIED
BID RECEIVED LATE
BID NOT SIGNED/NOT ORIGINAL SIGNATURE
BID NOT NOTARIZED/NOT ORIGINAL SIGNATURE OF NOTARY AND/OR NO NOTARY EXPIRATION
NOTARIZED OWN SIGNATURE
REQUIRED INFORMATION NOT SUBMITTED WITH BID
FAILURE TO SUBMIT THE ORIGINAL BID AND A COMPLETE EXACT COPY

CERTIFICATION PURSUANT TO ACT NO. 2006-557

ALABAMA LAW (SECTION 41-4-116,CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT EXECUTED SHALL CONTAIN A CERTIFICATION THAT THE VENDOR, CONTRACTOR, AND ALL OF ITS AFFILIATES THAT MAKE SALES FOR DELIVERY INTO ALABAMA OR LEASES FOR USE IN ALABAMA ARE REGISTERED, COLLECTING, AND REMITTING ALABAMA STATE AND LOCAL SALES, USE, AND/OR LEASE TAX ON ALL TAXABLE SALES AND LEASES INTO ALABAMA. BY SUBMITTING THIS BID, THE BIDDER IS HEARBY CERTIFYING THAT THEY ARE IN FULL COMPLIANCE WITH ACT NO. 2006-557, THEY ARE NOT BARRED FROM BIDDING OR ENTERING INTO A CONTRACT PURSUANT TO 41-4-116, AND ACKNOWLEDGES THAT THE AWARDING AUTHORITY MAY DECLARE THE CONTRACT VOID IF THE CERTIFICATION IS FALSE.

INTENT TO AWARD

EFFECTIVE MAY 1, 2008, THE STATE OF ALABAMA - DIVISION OF PURCHASING WILL ISSUE AN 'INTENT TO AWARD' BEFORE A FINAL AWARD IS MADE. THE 'INTENT TO AWARD' WILL CONTINUE FOR A PERIOD OF FIVE (5) CALENDAR DAYS, AFTER WHICH A PURCHASE ORDER WILL BE PRODUCED. UPON FINAL AWARD, ALL RIGHTS TO PROTEST ARE FORFEITED. A DETAILED EXPLANATION OF THIS PROCESS MAY BE REVIEWED IN THE ALABAMA ADMINISTRATIVE CODE - CHAPTER 355-4-1(14).

ALTERNATE BID RESPONSE

UNLESS STATED ELSEWHERE IN THIS INVITATION-TO-BID (ITB) THE STATE OF ALABAMA WILL ACCEPT AND EVALUATE ALTERNATE BID SUBMITTALS ON ANY ITB'S. ALTERNATE BID RESPONSES WILL BE EVALUATED ACCORDING TO THE REQUIREMENTS AS ALL OTHER RESPONSES TO THIS ITB.

INTERNET WEBSITE LINK'S

INTERNET AND/OR WEBSITE LINKS WILL NOT BE ACCEPTED IN BID RESPONSES AS A MEANS TO SUPPLY ANY REQUIREMENTS STATED IN THIS ITB (INVITATION-TO-BID).

PRODUCT DELIVERY, RECEIVING AND ACCEPTANCE

IN ACCORDANCE WITH THE UNIVERSAL COMMERCE CODE (CODE OF ALABAMA, TITLE 7), AFTER DELIVERY, THE STATE OF ALABAMA HAS THE RIGHT TO INSPECT ALL PRODUCTS BEFORE ACCEPTING. THE STATE WILL INSPECT PRODUCTS IN A REASONABLE TIMEFRAME. SIGNATURE ON A DELIVERY DOCUMENT DOES NOT CONSTITUTE ACEPTANCE BY THE STATE. THE STATE WILL ACCEPT PRODUCTS ONLY AFTER SATISFACTORY INSPECTION.

SALES TAX EXEMPTION

PURSUANT TO THE CODE OF ALABAMA, 1975, TITLE 40-23-4 (A) (11), THE STATE OF ALABAMA IS EXEMPT FROM PAYING SALES TAX. AN EXEMPTION LETTER WILL BE FURNISHED UPON REQUEST.

INVOICES

INQUIRIES CONCERNING PAYMENT AFTER INVOICES HAVE BEEN SUBMITTED ARE TO BE DIRECTED TO THE RECEIVING AGENCY, NOT THE DIVISION OF PURCHASING

BID RESPONSES AND BID RESULTS

UNEVALUATED BID RESPONSES (NOT BID RESULTS) ARE AVAILABLE ON OUR WEB SITE AT WWW.PURCHASING.ALABAMA.GOV. BID RESULTS WILL BE MADE AVAILABLE FOR REVIEW IN THE DIVISION OF PURCHASING OFFICE, BUT ONLY AFTER THE BID HAS BEEN AWARDED. WE DO NOT FAX OR MAIL COPIES OF BID RESULTS. IF A VENDOR WISHES TO REVIEW BID RESULTS IN OUR OFFICE, THEY SHOULD FAX THEIR REQUEST TO REVIEW THE BID TWO DAYS IN ADVANCE TO THE "BID REVIEW CLERK" AT (334) 242-4419. BE SURE TO REFERENCE THE BID NUMBER.

FOREIGN CORPORATION - CERTIFICATE OF AUTHORITY

ALABAMA LAW PROVIDES THAT A FOREIGN CORPORATION (AN OUT-OF-STATE COMPANY/FIRM) MAY NOT TRANSACT BUSINESS IN THE STATE OF ALABAMA UNTIL IT OBTAINS A CERTIFICATE OF AUTHORITY FROM THE SECRETARY OF STATE. SECTION 10-2B-15.01, CODE OF ALABAMA 1975. TO OBTAIN FORMS FOR A CERTIFICATE OF AUTHORITY, CONTACT THE SECRETARY OF STATE, CORPORATIONS DIVISION, (334) 242-5324. THE CERTIFICATE OF AUTHORITY DOES NOT KEEP THE VENDOR FROM SUBMITTING A BID.

BID IDENTIFICATION

REFERENCE PAGE 2, ITEM 2. DUE TO THE POSTAL SERVICE PUTTING BAR CODE LABELS ON ENVELOPES, IT CONCEALS THE BID NUMBER AND DATE IF THE VENDOR HAS WRITTEN THEM OTHER THAN THE LOWER LEFT CORNER, THEREFORE THE BID WOULD BE REJECTED FOR NOT BEING PROPERLY IDENTIFIED.

****

AWARD:
AWARD WILL BE MADE "ALL OR NONE" TO THE LOWEST RESPONSIBLE BIDDER MEETING ALL SPECIFICATIONS.

FREIGHT:
BID IS F.O.B. DESTINATION. ANY FREIGHT CHARGES MUST BE INCLUDED IN THE BID PRICES. DO NOT INLCUDE FREIGHT AS A SEPARATE LINE ITEM.

CONTRACT PERIOD:
ESTABLISH A 12 MONTH CONTRACT WITH AN OPTION TO EXTEND FOR A SECOND, THIRD, FOURTH, AND FIFTH 12 MONTH PERIOD WITH THE SAME PRICING, TERMS AND CONDITIONS. THE SECOND, THIRD, FOURTH, OR FIFTH 12 MONTH PERIOD, IF AGREED BY BOTH PARTIES, WOULD BEGIN THE DAY AFTER THE FIRST, SECOND, THIRD, OR FOURTH 12 MONTH PERIOD EXPIRES. ANY SUCCESSIVE EXTENSION MUST HAVE WRITTEN APPROVAL OF BOTH THE STATE AND VENDOR NO LATER THAN 30 DAYS PRIOR TO EXPIRATION OF THE PREVIOUS 12 MONTH PERIOD.

REQUESTED INFORMATION:
ANY ADDITIONAL INFORMATION REQUESTED FROM A VENDOR MUST BE FURNISHED WITHIN FIVE (5) DAYS FROM RECEIPT OF REQUEST.

QUANTITY:
QUANTITY SHOWN IS AN APPROXIMATE USAGE AND MAY ACTUALLY BE MORE OR LESS. ORDERS WILL BE PLACED AS AGENCY HAS NEED. STATE PURCHASING DOES NOT GUARANTEE THAT THE AGENCY WILL BUY ANY QUANTITY.

VENDOR QUALIFICATION:
IF REQUESTED, VENDOR MUST PROVIDE DOCUMENTATION OF BEING AN AUTHORIZED MANUFACTURER'S REPRESENTATIVE FOR THE PRODUCTS LISTED. FAILURE TO PROVIDE THIS INFORMATION MAY RESULT IN REJECTION OF BID.

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -

INVITATION TO BID

ITB NO. : 10-X-2213577

OPEN DATE : 11/17/09 TIME: 10:00 AM

T-NUMBER : TA759

RETURN DATE: 11/16/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	UNLESS SPECIFIED OTHERWISE BELOW: SHIP TO: 005000 / 005M57 DEPARTMENT OF CORRECTIONS ALABAMA CORRECTIONS ACADEMY BLDG.351 AVE.C CRAIG INDUSTRIAL PARK SELMA AL 36701				
00001	COMMODITY CODE: 680-92-050364 MK-2 SABRE RED OLEORESIN CAPSICUM AEROSOL PROJECTORS ONLY SPECS ATTACHED ESTIMATED QUANTITY FOR YEAR ONE: 4000	4000	EA	_____	_____
00002	COMMODITY CODE: 680-92-050364 MK-3 SABRE RED OLEORESIN CAPSICUM AEROSOL PROJECTORS ONLY SPECS ATTACHED ESTIMATED QUANTITY FOR YEAR ONE: 100	1	EA	_____	_____
00003	COMMODITY CODE: 680-92-050364 MK-4 SABRE RED OLEORESIN CAPSISUM AEROSOL PROJECTORS ONLY SPECS ATTACHED ESTIMATED QUANTITY FOR YEAR ONE: 1000	1	EA	_____	_____
00004	COMMODITY CODE: 680-92-050364 MK-3 AEROSOL GRENADES ONLY SPECS ATTACHED ESTIMATED QUANTITY FOR YEAR ONE: 1000	1	EA	_____	_____
00005	COMMODITY CODE: 680-92-050364 MK-5 AEROSOL GRENDADES ONLY SPECS ATTACHED ESTIMATED QUANTITY FOR YEAR ONE: 30	1	EA	_____	_____
00006	COMMODITY CODE: 680-92-050364 MK-9 CELL BUSTER HEAVY FOGGER ONLY SPECS ATTACHED ESTIMATED QUANTITY FOR YEAR ONE: 50	1	EA	_____	_____
00007	COMMODITY CODE: 680-92-050364 MK-46 CROWD MANAGEMENT UNIT ONLY SPECS ATTACHED ESTIMATED QUANTITY FOR YEAR ONE: 15	1	EA	_____	_____
00008	COMMODITY CODE: 680-92-050364	1	EA	_____	_____

PAGE TOTAL _____

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -

INVITATION TO BID

ITB NO. : 10-X-2213577

OPEN DATE : 11/17/09 TIME: 10:00 AM

T-NUMBER : TA759

RETURN DATE: 11/16/09 TIME: 5:00 PM

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
	ONE (1) GALLON REFILL CONTAINERS ONLY SPECS ATTACHED ESTIMATED QUANTITY FOR YEAR ONE: 30				

PAGE TOTAL _____

BID TOTAL _____

ALABAMA DEPARTMENT OF CORRECTIONS (ALDOC)
Specifications for SABRE RED Oleoresin Capsicum Aerosol Projectors

MK-2 SABRE Red Oleoresin Capsicum Aerosol Projectors

1 – Aerosol Projector canister shall be stream delivery.
2 – Aerosol Projector canister shall contain 1.6 oz. of SABRE Red.
3 – Aerosol Projector canister shall have flip top safety to prevent accidental discharge.
4 – Aerosol Projector canister shall contain 10% O.C. and 1.33% Major Capsaicinoids and contain a scoville content of 200,000 (10 % of 2,000,000 SHUs) as quality controlled by a High Performance Liquid Chromatograph (HPLC) test.
5 – Aerosol Projector shall contain an ultra violet marking dye for suspect identification.
6 – Aerosol Projector shall have a push button firing mechanism.
7 – Aerosol Projector canister shall be a height of 4.00"
8 – Aerosol Projector canister shall be a diameter of 1.38".
9 – The canister shall contain a high pressure, non-flammable, non-ozone depleting propellant that is chemically inert and toxicologically safe.
10 – The contents of each canister shall not contain any toxic or carcinogenic ingredients.
11 – All canisters shall have a protective Mylar over lamination label which resists wear and water damage.
12 – Each canister shall have an individual serial and batch number.
13 – Each serialized canister shall be traceable to its oleoresin capsicum lot number and formulation batch and also the delivery system and expiration date.
14 – Each canister label must be printed with a thermal transfer resin ribbon and manufacturer name and address must be permanently affixed to each label.
15 – Aerosol Projector minimum shelf life shall be 5 years.
16 – Aerosol Projector must be Electronic Immobilization Device compatible (EID).
17 – Each canister must state Non Flammable Electronic Immobilization Device Compatible on the Label.
18 – All canisters must be able to deploy continuously from any angle, position or orientation to increase target acquisition.

MK-3 SABRE Red Oleoresin Capsicum Aerosol Projectors

1 – Aerosol Projector canister shall be stream delivery.
2 – Aerosol Projector canister shall contain 1.8 oz. of SABRE Red.
3 – Aerosol Projector canister shall have flip top safety to prevent accidental discharge.
4 – Aerosol Projector canister shall contain 10% O.C. and 1.33% Major Capsaicinoids and contain a scoville content of 200,000 (10 % of 2,000,000 SHUs) as quality controlled by a High Performance Liquid Chromatograph (HPLC) test.
5 – Aerosol Projector shall contain an ultra violet marking dye for suspect identification.
6 – Aerosol Projector shall have a push button firing mechanism.
7 – Aerosol Projector canister shall be a height of 4.35"
8 – Aerosol Projector canister shall be a diameter of 1.50".

9 – The canister shall contain a high pressure, non-flammable, non-ozone depleting propellant that is chemically inert and toxicologically safe.
10 – The contents of each canister shall not contain any toxic or carcinogenic ingredients.
11 – All canisters shall have a protective Mylar over lamination label which resists wear and water damage.
12 – Each canister shall have an individual serial and batch number.
13 – Each serialized canister shall be traceable to its oleoresin capsicum lot number and formulation batch and also the delivery system and expiration date.
14 – Each canister label must be printed with a thermal transfer resin ribbon and manufacturer name and address must be permanently affixed to each label.
15 – Aerosol Projector minimum shelf life shall be 5 years.
16 – Aerosol Projector must be Electronic Immobilization Device compatible (EID).
17 – Each canister must state Non Flammable Electronic Immobilization Device Compatible on the Label.
18 – All canisters must be able to deploy continuously from any angle, position or orientation to increase target acquisition.

MK-4 SABRE Red Oleoresin Capsicum Aerosol Projectors

1 – Aerosol Projector canister shall be stream delivery.
2 – Aerosol Projector canister shall contain 3.0 oz. of SABRE Red.
3 – Aerosol Projector canister shall have flip top safety to prevent accidental discharge.
4 – Aerosol Projector canister shall contain 10% O.C. and 1.33% Major Capsaicinoids and contain a scoville content of 200,000 (10 % of 2,000,000 SHUs) as quality controlled by a High Performance Liquid Chromatograph (HPLC) test.
5 – Aerosol Projector shall contain an ultra violet marking dye for suspect identification.
6 – Aerosol Projector shall have a push button firing mechanism.
7 – Aerosol Projector canister shall be a height of 6.25"
8 – Aerosol Projector canister shall be a diameter of 1.50".
9 – The canister shall contain a high pressure, non-flammable, non-ozone depleting propellant that is chemically inert and toxicologically safe.
10 – The contents of each canister shall not contain any toxic or carcinogenic ingredients.
11 – All canisters shall have a protective Mylar over lamination label which resists wear and water damage.
12 – Each canister shall have an individual serial and batch number.
13 – Each serialized canister shall be traceable to its oleoresin capsicum lot number and formulation batch and also the delivery system and expiration date.
14 – Each canister label must be printed with a thermal transfer resin ribbon and manufacturer name and address must be permanently affixed to each label.
15 – Aerosol Projector minimum shelf life shall be 5 years.
16 – Aerosol Projector must be Electronic Immobilization Device compatible (EID).
17 – Each canister must state Non Flammable Electronic Immobilization Device Compatible on the Label.
18 – All canisters must be able to deploy continuously from any angle, position or orientation to increase target acquisition.

MK-3 Aerosol Grenades

1 – Aerosol Projector canister shall be fog delivery.
2 – Aerosol Projector canister shall contain 2.0 oz./56 grams/60 ml of SABRE Red.
3 – Aerosol Projector canister shall have a locking actuator for continuous discharge of contents.
4 – Aerosol Projector canister shall contain 10% O.C. and 1.33% Major Capsaicinoids and contain a scoville content of 200,000 (10 % of 2,000,000 SHUs) as quality controlled by a High Performance Liquid Chromatograph (HPLC) test.
5 – Aerosol Projector shall contain an ultra violet marking dye for suspect identification.
6 – Aerosol Projector shall aerosolize and remain airborne for a long period of time.
7 – Aerosol Projector canister shall be a height of 3.75"
8 – Aerosol Projector canister shall be a diameter of 1.50".
9 – The canister shall contain a high pressure, non-flammable, non-ozone depleting propellant that is chemically inert and toxicologically safe.
10 – The contents of each canister shall not contain any toxic or carcinogenic ingredients.
11 – All canisters shall have a protective Mylar over lamination label which resists wear and water damage.
12 – Each canister shall have an individual serial and batch number.
13 – Each serialized canister shall be traceable to its oleoresin capsicum lot number and formulation batch and also the delivery system and expiration date.
14 – Each canister label must be printed with a thermal transfer resin ribbon and manufacturer name and address must be permanently affixed to each label.
15 – Aerosol Projector minimum shelf life shall be 5 years.
16 – Aerosol Projector must be Electronic Immobilization Device compatible (EID).
17 – Each canister must state Non Flammable Electronic Immobilization Device Compatible on the Label.
18 – All canisters must be able to deploy continuously from any angle, position or orientation to increase target acquisition.
19 – All canisters shall empty in approximately 6 seconds and have an approximate coverage area of 10,000 cubic feet in 60 seconds.

MK-5 Aerosol Grenades

1 – Aerosol Projector canister shall be fog delivery.
2 – Aerosol Projector canister shall contain 5.0 oz./140 grams/150 ml of SABRE Red.
3 – Aerosol Projector canister shall have a locking actuator for continuous discharge of contents.
4 – Aerosol Projector canister shall contain 10% O.C. and 1.33% Major Capsaicinoids and contain a scoville content of 200,000 (10 % of 2,000,000 SHUs) as quality controlled by a High Performance Liquid Chromatograph (HPLC) test.
5 – Aerosol Projector shall contain an ultra violet marking dye for suspect identification.
6 – Aerosol Projector shall aerosolize and remain airborne for a long period of time.

7 – Aerosol Projector canister shall be a height of 5.25"
8 – Aerosol Projector canister shall be a diameter of 2.13".
9 – The canister shall contain a high pressure, non-flammable, non-ozone depleting propellant that is chemically inert and toxicologically safe.
10 – The contents of each canister shall not contain any toxic or carcinogenic ingredients.
11 – All canisters shall have a protective Mylar over lamination label which resists wear and water damage.
12 – Each canister shall have an individual serial and batch number.
13 – Each serialized canister shall be traceable to its oleoresin capsicum lot number and formulation batch and also the delivery system and expiration date.
14 – Each canister label must be printed with a thermal transfer resin ribbon and manufacturer name and address must be permanently affixed to each label.
15 – Aerosol Projector minimum shelf life shall be 5 years.
16 – Aerosol Projector must be Electronic Immobilization Device compatible (EID).
17 – Each canister must state Non Flammable Electronic Immobilization Device Compatible on the Label.
18 – All canisters must be able to deploy continuously from any angle, position or orientation to increase target acquisition.
19 – All canisters shall empty in approximately 14 seconds and have an approximate coverage area of 22,000 cubic feet in 60 seconds

MK-9 Cell Buster Heavy Fogger

1 – Aerosol Projector canister shall be fog delivery.
2 – Aerosol Projector canister shall contain 18.5 oz.of SABRE Red.
3 – Aerosol Projector canister shall have a pistol grip, with yellow trigger that holds a trigger safety pin, with hose and wand attachment that can be maneuvered underneath cell doors, through vents, food slots or other openings, which lead into a cell.
4 – Aerosol Projector canister shall contain 10% O.C. and 1.33% Major Capsaicinoids and contain a scoville content of 200,000 (10 % of 2,000,000 SHUs) as quality controlled by a High Performance Liquid Chromatograph (HPLC) test.
5 – Aerosol Projector shall contain an ultra violet marking dye for suspect identification.
6 – Each canister shall reach the top portion of the cell rear wall when deployed underneath the cell door.
7 – Aerosol Projector canister shall be a height of 10.50"
8 – Aerosol Projector canister shall be a diameter of 2.50".
9 – The canister shall contain a high pressure, non-flammable, non-ozone depleting propellant that is chemically inert and toxicologically safe.
10 – The contents of each canister shall not contain any toxic or carcinogenic ingredients.
11 – All canisters shall have a protective Mylar over lamination label which resists wear and water damage.
12 – Each canister shall have an individual serial and batch number.
13 – Each serialized canister shall be traceable to its oleoresin capsicum lot number and formulation batch and also the delivery system and expiration date.
14 – Each canister label must be printed with a thermal transfer resin ribbon and

manufacturer name and address must be permanently affixed to each label.
15 – Aerosol Projector minimum shelf life shall be 4 years.
16 – Aerosol Projector must be Electronic Immobilization Device compatible (EID).
17 – Each canister must state Non Flammable Electronic Immobilization Device Compatible on the Label.
18 – All canisters must be able to deploy continuously from any angle, position or orientation to increase target acquisition.
19 – Each wand will have a compression fitting for reattachment of hose.

MK-46 Crowd Management Unit

1 – Aerosol Projector canister shall be a High Volume stream delivery.
2 – Aerosol Projector canister shall contain 46.0 oz.of SABRE Red.
3 – Aerosol Projector canister shall have a pistol grip, with trigger that contains a trigger safety pin.
4 – Aerosol Projector canister shall contain 10% O.C. and 1.33% Major Capsaicinoids and contain a scoville content of 200,000 (10 % of 2,000,000 SHUs) as quality controlled by a High Performance Liquid Chromatograph (HPLC) test.
5 – Aerosol Projector shall contain an ultra violet marking dye for suspect identification.
6 – All canisters will have a secure canister holster and shoulder strap.
7 – Aerosol Projector canister shall be a height of 20.50"
8 – Aerosol Projector canister shall be a diameter of 4.25".
9 – The canister shall contain a high pressure, non-flammable, non-ozone depleting propellant that is chemically inert and toxicologically safe.
10 – The contents of each canister shall not contain any toxic or carcinogenic ingredients.
11 – All canisters shall have a protective Mylar over lamination label which resists wear and water damage.
12 – Each canister shall have an individual serial and batch number.
13 – Each serialized canister shall be traceable to its oleoresin capsicum lot number and formulation batch and also the delivery system and expiration date.
14 – Each canister label must be printed with a thermal transfer resin ribbon and manufacturer name and address must be permanently affixed to each label.
15 – Aerosol Projector minimum shelf life shall be 4 years.
16 – Aerosol Projector must be Electronic Immobilization Device compatible (EID).
17 – Each canister must state Non Flammable Electronic Immobilization Device Compatible on the Label.
18 – All canisters must be able to deploy continuously from any angle, position or orientation to increase target acquisition.
19 – All canisters shall be equipped with a high pressure gauge valve.

One (1) Gallon Refill Containers

1 – Aerosol Chemical in refill Gallon jug shall contain 64.0 oz. of SABRE Red.
2 – Aerosol Chemical in refill Gallon jug shall contain 10% O.C., 1.33% Major

Capsaicinoids and contain a scoville content of 200,000 (10 % of 2,000,000 SHUs) as quality controlled by a High Performance Liquid Chromatograph (HPLC) test.

3 – Aerosol Chemical in refill Gallon jug shall contain an ultra violet marking dye for suspect identification.

4 – The Chemical in Gallon jug shall contain a high pressure, non ozone depleting propellant.

5 – The contents of each refill Gallon jug shall not contain any toxic or carcinogenic ingredients.

6 – All Refill Gallon jugs shall have a protective Mylar over lamination label which resists wear and water damage.

7 – Each refill Gallon jug shall have an individual serial and batch number.

8 – Each serialized Gallon jug shall be traceable to its oleoresin capsicum lot number and formulation batch and also the delivery system and expiration date.

9 – Each refill Gallon jug label must be printed with a thermal transfer resin ribbon and manufacturer name and address must be permanently affixed to each label

10 – Aerosol chemical refill Gallon jug minimum shelf life shall be 4 years.

11 – Aerosol chemical refill Gallon jug must be Electronic Immobilization Device compatible (EID).

12 – Each refill Gallon jug must state Non Flammable Electronic Immobilization Device Compatible on the Label.