ITB# 2219185

No. 1 SPECIFICATIONS FOR DELL SERVER PE R710 (DELL ONLY)

PE R710	QUANTITY: 2		
Base Unit:		PE R710 with Chassis for Up to 4, 3.5-inch Hard Drives and Intel 56XX Processors (224-8463)	
Processor:		PowerEdge R710 Shipping (330-4124)	
Memory:		48GB Memory (12x4GB), 1333MHz Dual Ranked RDIMMs for 2 Processors (317-0371)	
Monitor:		Embedded Broadcom, GB Ethernet NICS with TOE and ISCSI Offload Enabled (430-2970)	
Monitor:		Embedded Broadcom, GB Ethernet NICS with TOE (430-1764)	
Video Card:		Intel Xeon X5680, 3.33Ghz, 12M Cache,Turbo, HT, 1333MHz Max Mem (317-4104)	
Video Memory:		Intel Xeon X5680, 3.33Ghz, 12M Cache,Turbo, HT, 1333MHz Max Mem (317-4116)	
Video Memory:		PowerEdge R710 Heat Sinks for 2 Processors (317-1213)	
Hard Drive:		146GB 15K RPM Serial-Attach SCSI 3Gbps 3.5in Hotplug Hard Drive (341-8718)	
Hard Drive Controller:		PERC H700 Integrated RAID Controller, 512MB Cache, x4 (342-9659)	
Floppy Disk Drive:		Performance BIOS Setting (330-3492)	
Operating System:		Windows Server 2008 R2, Enterprise Edition, Includes 10 CALs (421-1620)	
NIC:		Intel Gigabit ET NIC,Quad Port, Copper, PCIe-4 (430-0657)	
Modem:		IDRAC6 Enterprise (467-8648)	
CD-ROM or DVD-ROM Drive:		DVD ROM, SATA, INTERNAL (313-9092)	
Sound Card:		Bezel (313-7517)	
Speakers:		Riser with 2 PCIe x8 + 2 PCIe x4 Slot (320-7886)	
Documentation Diskette:		Dell Management Console (330-5280)	
Documentation Diskette:		Electronic System Documentation and OpenManage DVD Kit (330-3485)	
Additional Storage Products:		146GB 15K RPM Serial-Attach SCSI 3Gbps 3.5in Hotplug Hard Drive (341-8718)	
Feature		RAID 10 for H700 or PERC 6/I Controllers (341-8701)	
Feature		Sliding Ready Rails With CableManagement Arm (330-3477)	
Service:		Thank you choosing Dell ProSupport. For tech support, visit http://support.dell.com/ProSupport or call 1-800-9 (989-3439)	
Service:		Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Year Extended (992-8162)	
Service:		ProSupport for IT: 7x24 HW / SW Tech Support and Assistance for Certified IT Staff, 3 Year (992-8352)	
Service:		Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (993-2200)	
Service:		Dell Hardware Limited Warranty Plus On Site Service Initial Year (993-8447)	
Service:		Dell Hardware Limited Warranty Extended Year (993-8458)	
Service:		MISSION CRITICAL PACKAGE: Enhanced Services, 3 Year (993-8518)	
Misc:		High Output Power Supply Redundant, 870W (330-3475)	
Misc:		146GB 15K RPM Serial-Attach SCSI 3Gbps 3.5in Hotplug Hard Drive (341-8718)	
Misc:		Power Cord, C13 to C14, PDU Style, 12 Amps, 2 foot, Qty 1 (330-3150)	
Misc:		Power Cord, C13 to C14, PDU Style, 12 Amps, 2 foot, Qty 1 (330-3150)	
Misc:		146GB 15K RPM Serial-Attach SCSI 3Gbps 3.5in Hotplug Hard Drive (341-8718)	
Misc:		Qlogic 2562 Dual Channel 8Gb Optical Fiber Channel HBA PCIe (341-9096)	
		Installation of a Dell Server, Storage or Peripheral Device, PE Server MWT (984-1068)	
		40GB Microsoft OS Partition Override (420-6966)	

SOFTWARE & ACCESSORIES			
Product	Quantity		
10M MULTI-MODE FC CABLE LC-LC,TYCO, Customer Install (310-5609)	4		

No. 2 SPECIFICATIONS FOR DELL SERVER PE R610 (DELL ONLY)

PE R610	QUANTITY: 6
Base Unit:	PE R610 with Chassis for Up to Six 2.5-Inch Hard Drives and Intel® 56XX Processors (224-8479)
Processor:	PowerEdge R610 Shipping (330-4122)
Memory:	24GB Memory (6x4GB), 1333MHz Dual Ranked RDIMMs for 2 Processors, Optimized (317-0236)
Monitor:	Embedded Broadcom, GB Ethernet NICS with TOE and ISCSI Offload Enabled (430-2970)
Monitor:	Embedded Broadcom, GB Ethernet NICS with TOE (430-1764)
Video Card:	Intel Xeon X5680, 3.33Ghz, 12M Cache,Turbo, HT, 1333MHz Max Mem (317-4104)
Video Memory:	Intel Xeon X5680, 3.33Ghz, 12M Cache,Turbo, HT, 1333MHz Max Mem (317-4116)
Video Memory:	PowerEdge R610 Heat Sinks for 2 Processors for 130Watt (330-8588)
Hard Drive:	146GB 15K RPM Serial-Attach SCSI 6Gbps 2.5in Hotplug Hard Drive (342-0427)
Hard Drive Controller:	PERC 6/I SAS RAID Controller 2x4 Connectors, Internal, PCIe256MB Cache (341-9254)
Floppy Disk Drive:	Performance BIOS Setting (330-3492)
Operating System:	Windows Server 2008 R2, Standard Edition, Includes 5 CALS (421-1622)
NIC:	Intel Gigabit ET NIC,Quad Port, Copper, PCIe-4 (430-0657)
Modem:	iDRAC6 Enterprise (467-8648)
CD-ROM or DVD-ROM Drive:	DVD ROM, SATA, INTERNAL (313-9092)
Sound Card:	Bezel (313-7534)
Documentation Diskette:	Dell Management Console (330-5280)
Documentation Diskette:	Electronic System Documentation and OpenManage DVD Kit (330-3523)
Additional Storage Products:	146GB 15K RPM Serial-Attach SCSI 6Gbps 2.5in Hotplug Hard Drive (342-0427)
Feature	RAID 1 for H700, PERC 6/I, H200 or SAS 6/IR Controllers (341-8755)
Feature	Sliding Ready Rails With CableManagement Arm (330-3520)
Service:	Dell Hardware Limited Warranty Plus On Site Service Initial Year (993-9457)
Service:	Dell Hardware Limited Warranty Extended Year (993-9458)
Service:	Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (993-3670)
Service:	Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Year Extended (992-9972)
Service:	ProSupport for IT: 7x24 HW / SW Tech Support and Assistance for Certified IT Staff, 3 Year (993-0162)
Service:	MISSION CRITICAL PACKAGE: Enhanced Services, 3 Year (993-9408)
Service:	Thank you choosing Dell ProSupport. For tech support, visit http://support.dell.com/ProSupport or call 1-800-9 (989-3439)
Misc:	High Output Power Supply Redundant, 717W (330-3518)
Misc:	Power Cord, C13 to C14, PDU Style, 12 Amps, 2 foot, Qty 1 (330-3150)
Misc:	Power Cord, C13 to C14, PDU Style, 12 Amps, 2 foot, Qty 1 (330-3150)
	Installation of a Dell Server, Storage or Peripheral Device, PE Server MWT (984-1068)
	40GB Microsoft OS Partition Override (420-6966)

No. 3 SPECIFICATIONS FOR DELL SERVER PE R610 (DELL ONLY)

PE R610	QUANTITY: 2		
Base Unit:		PE R610 with Chassis for Up to Six 2.5-inch Hard Drives and Intel® 56XX Processors (224-8479)	
Processor:		PowerEdge R610 Shipping (330-4122)	
Memory:		24GB Memory (6x4GB), 1333MHz Dual Ranked RDIMMs for 2 Processors, Optimized (317-0236)	
Monitor:		Embedded Broadcom, GB Ethernet NICS with TOE and ISCSI Offload Enabled (430-2970)	
Monitor:		Embedded Broadcom, GB Ethernet NICS with TOE (430-1764)	
Video Card:		Intel Xeon X5680, 3.33Ghz, 12M Cache,Turbo, HT, 1333MHz Max Mem (317-4104)	
Video Memory:		Intel Xeon X5680, 3.33Ghz, 12M Cache,Turbo, HT, 1333MHz Max Mem (317-4116)	
Video Memory:		PowerEdge R610 Heat Sinks for 2 Processors for 130Watt (330-8588)	
Hard Drive:		146GB 15K RPM Serial-Attach SCSI 6Gbps 2.5in Hotplug Hard Drive (342-0427)	
Hard Drive Controller:		PERC 6/I SAS RAID Controller 2x4 Connectors, Internal, PCIe256MB Cache (341-9254)	
Floppy Disk Drive:		Performance BIOS Setting (330-3492)	
Operating System:		Windows Server 2008 R2, Web Edition (421-1626)	
NIC:		Intel Gigabit ET NIC,Quad Port, Copper, PCIe-4 (430-0657)	
Modem:		IDRAC6 Enterprise (467-8648)	
CD-ROM or DVD-ROM Drive:		DVD ROM, SATA, INTERNAL (313-9092)	
Sound Card:		Bezel (313-7534)	
Documentation Diskette:		Dell Management Console (330-5280)	
Documentation Diskette:		Electronic System Documentation and OpenManage DVD Kit (330-3523)	
Additional Storage Products:		146GB 15K RPM Serial-Attach SCSI 6Gbps 2.5in Hotplug Hard Drive (342-0427)	
Feature		RAID 1 for H700, PERC 6/i, H200 or SAS 6/IR Controllers (341-8755)	
Feature		Sliding Ready Rails With CableManagement Arm (330-3520)	
Service:		Dell Hardware Limited Warranty Plus On Site Service Initial Year (993-9457)	
Service:		Dell Hardware Limited Warranty Extended Year (993-9458)	
Service:		Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (993-3670)	
Service:		Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Year Extended (992-9972)	
Service:		ProSupport for IT: 7x24 HW / SW Tech Support and Assistance for Certified IT Staff, 3 Year (993-0162)	
Service:		MISSION CRITICAL PACKAGE: Enhanced Services, 3 Year (993-9408)	
Service:		Thank you choosing Dell ProSupport. For tech support, visit http://support.dell.com/ProSupport or call 1-800-9 (989-3439)	
Misc:		High Output Power Supply Redundant, 717W (330-3518)	
Misc:		Power Cord, C13 to C14, PDU Style, 12 Amps, 2 foot, Qty 1 (330-3150)	
Misc:		Power Cord, C13 to C14, PDU Style, 12 Amps, 2 foot, Qty 1 (330-3150)	
		Installation of a Dell Server, Storage or Peripheral Device, PE Server MWT (984-1068)	
		40GB Microsoft OS Partition Override (420-6966)	

No. 4 SPECIFICATIONS FOR DELL APC SMART-UPS And WARRANTY (DELL ONLY)

SOFTWARE & ACCESSORIES	
Product	**Quantity**
APC SMART-UPS 5000VA 208V RACKMOUNT TOWER (A1302622)	2
SP-05 SBOX EWP TEL SUP-EXCHG 3YR NBD (A1470532)	2